PRIME
Thịnh vượng là Prime



CATALOGUE
PROJECT
2025 - 2026

Huy Hoàng

www.prime.vn

THE ULTRA LUXE SERIES

GLAZED PORCELAIN TILES 60x120cm

Unveiling the Ultra Luxe Series: Inspired by the timeless elegance of marble, our collection offers a bespoke living experience. Encompassing a stunning array of designs and colors, Ultra Luxe elevates every space, fostering a distinguished aesthetic ideal for the modern professional.

60x120cm

3

EXTRA-LARGE

size

60x60cm

FROM

60

TO

120

cm

30x60cm

Huy Hoàng



V1
04 faces

03.600120.27323
Nano Polished | Rectified



V1
04 faces

03.600120.44E06
Nano Polished | Rectified



V1
04 faces

03.600120.27300
Nano Polished | Rectified

PRIME

THE ULTRA

LUXE SERIES

M-STONE
60x120cm

Product code:03.600120.44E06

Huy Hoàng



03.600120.27E56
Nano Polished I Rectified



03.600120.27E74
Nano Polished I Rectified



03.600120.08339
Nano Polished I Rectified



Product code:03.600120.27E74

Huy Hoàng



V1
04 faces

03.600120.27E68
Nano Polished I Rectified



V1
04 faces

03.600120.20819
Nano Polished I Rectified



V1
02 faces

03.600120.08303
Nano Polished I Rectified



PRIME

THE ULTRA

LUXE SERIES

M-STONE
60x120cm

Product code:03.600120.20819

Huy Hoàng



V1
04 faces

03.600120.27324
Nano Polished I Rectified



V1
04 faces

03.600120.27E53
Nano Polished I Rectified



V1
04 faces

03.600120.27E54
Nano Polished I Rectified

Huy Hoàng

PRIME
THE ULTRA
LUXE SERIES
M-STONE
60x120cm

Product code:03.600120.27E53



V1
04 faces

03.600120.27E57
Matt I Rectified



V1
04 faces

03.600120.27403
Matt I Rectified



V1
04 faces

03.600120.27320
Matt I Rectified



Product code:03.600120.27403

Huy Hoàng

Glazed Porcelain Tiles, size 60x120cm



03.600120.08316
Nano Polished I Rectified



03.600120.27325
Nano Polished I Rectified



Product code:03.600120.27307

Huy Hoang





FRESH ION TILES



FRESH ION TILES



- Able to trap PM 2.5 dust more than 89%
- Releases 3,000 ions/cm³
- Available 24/7 without consuming electricity

The Fresh Ion tiles (Air purified tiles) is able to trap PM 2.5 more than 89%, generates Fresh ion 24/7 without consuming electricity. It releases ion 3.000 ions/ cm3 for trapping dust in the air (when install the negative ion tile for 40% of room area).

Huy Hoàng



03.600120.20811
Nano Polished I Fresh Ion Effect I Rectified



03.600120.20817
Nano Polished I Fresh Ion Effect I Rectified



03.600120.20813
Nano Polished I Fresh Ion Effect I Rectified

Huy Hoàng

PRIME

FRESH ION TILES

M-STONE
60x120cm

Product code:03.600120.20817



03.600120.44E07
Nano Polished | Fresh Ion Effect | Rectified



03.600120.20805
Nano Polished | Fresh Ion Effect | Rectified

Huy Hoàng

PRIME

FRESH ION TILES

M-STONE
60x120cm

Product code:03.600120.20805

PRIME

FRESH ION TILES

GLAZED PORCELAIN TILES
60x60cm



03.600600.29E39
Nano Polished I Fresh Ion Effect I Rectified

V1

03 faces

Huy Hoàng

SUPER BLACK TILES COLLECTION

Feeling of Modern Nature

Large-format porcelain tiles redefine modern living spaces with a touch of nature's grandeur. Their expansive scale creates a seamless canvas, showcasing rich visual details like marble veining textures with captivating depth. Fewer grout lines enhance the minimalist aesthetic, while the versatile size allows for stunning application on both floors and walls. This fusion of size, design, and durability ensures lasting beauty, making these tiles the perfect choice for a trendy space infused with the enduring appeal of nature.



Huy Hoang

GLAZED PORCELAIN 100x100cm



V1

04 faces

03.100100.21005
Nano Polished | Rectified



V1

04 faces

03.100100.21008
Nano Polished | Rectified



PRIME

ELEGANCE MARBLE COLLECTION

FEELING OF MODERN NATURE

GLAZED PORCELAIN TILES
100x100cm

Product code:03.100100.21008

Huy Hoàng



V1
04 faces

03.600120.27326
Nano Polished I Rectified



V1
02 faces

03.600120.27317
Nano Polished I Rectified



V1
04 faces

03.600120.44E04
Nano Polished I Rectified



Product code:03.600120.27326

Huy Hoàng



03.600120.27626
Nano Polished I Rectified



03.600120.08368
Nano Polished I Rectified



03.600120.27309
Nano Polished I Rectified



Product code:03.600120.27309



V1

04 faces

03.600120.44E02
Nano Polished | Rectified



V1

04 faces

03.600120.44E03
Nano Polished | Rectified



V1

01 faces

03.600120.44E10
Nano Polished | Rectified

Huy Hoàng



Product code:03.600120.44E03



V1
04 faces

03.600120.27622
Nano Polished | Rectified



V1
03 faces

03.600120.44E05
Nano Polished | Rectified



V1
03 faces

03.600120.27316
Nano Polished | Rectified



PRIME
THE ULTRA
LUXE SERIES
M-STONE
60x120cm

Product code:03.600120.44E05

Huy Hoàng

PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED PORCELAIN TILES
60x60cm



Product code: 03.600600.09226

HOME COLLECTION 2024

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED PORCELAIN 60x60cm



V1

06 faces

03.600600.09226
Nano Polished | Rectified



V1

01 faces

03.600600.29E22
Nano Polished | Rectified



V1

04 faces

03.600600.29E23
Nano Polished | Rectified



V1

01 faces

03.600600.29E46
Nano Polished | Rectified



V1

04 faces

03.600600.29E25
Nano Polished | Rectified



V1

04 faces

03.600600.09509
Nano Polished | Rectified

PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED PORCELAIN TILES
60x60cm



03.600600.29E49
Nano Polished | Rectified

V1

04 faces



03.600600.15647
Nano Polished | Rectified

V1

04 faces

Huy Hoang

Product code: 03.600600.15647

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

Wood and Stone avant-garde for the new home
Glazed Porcelain Tiles 60x90

Hình ảnh chủ đạo của đá và gỗ trong bộ sưu tập mới được bắt nguồn cảm hứng từ vẻ đẹp thiên nhiên. Được chọn lọc từ các thiết kế đã được nghiên cứu sâu và hứa hẹn một sự cải biến đối với không gian nhà mơ ước của bạn.

The wood and stone avant-garde for the new home collection is inspired by the beauty of nature. It is selected from our long-lasting developed designs and promises to enhance your dream houses.

Huy Hoàng

HOME COLLECTION: WOOD AND STONE AVANT - GARDE FOR THE NEW HOME

GLAZED PORCELAIN TILES | STONE ART EFFECT - SUGAR EFFECT ROUGH - MATT - GLOSSY | RECTIFIED |60x90cm



Huy Hoàng



V1
04 faces

03.600900.08054
Nano Polished | Rectified

ELEGANCE MARBLE COLLECTION

Glaze Porcelain Tiles size:100x100cm

Inspired by the captivating beauty of the natural world, the Elegant Marble Collection transcends stone and marble effect. These porcelain tiles, imbued with unique character, breathe life into any living space.

A nuanced palette of black, grey, and white offers a canvas for creating striking visual effects. The collection's focus on large-format 1x1m tiles, available in both gloss and matte finishes, ensures design flexibility. From classic to minimalist, the Elegant Marble Collection caters to a diverse range of lifestyles and seamlessly integrates with the latest interior design trends.

This captivating collection empowers you to create a space that reflects your own elegance, inspired by the enduring beauty of nature.

Huy Hoàng

GLAZED PORCELAIN 100x100cm



V1

04 faces

03.100100.21019
Nano Polished I Carving Effect I Rectified



V1

04 faces

03.100100.21020
Nano Polished I Carving Effect I Rectified



V1

04 faces

03.100100.21002
Nano Polished I Rectified



V1

04 faces

03.100100.21003
Nano Polished I Rectified

Huy Hoàng



PRIME

ELEGANCE MARBLE COLLECTION

FEELING OF MODERN NATURE

GLAZED PORCELAIN TILES
100x100cm

Product code:03.100100.21003

GLAZED PORCELAIN 100x100cm



V1

04 faces

03.100100.21004
Nano Polished I Rectified



V1

04 faces

03.100100.21017
Nano Polished I Carving Effect I Rectified

Huy Hoàng

PRIME

ELEGANCE MARBLE COLLECTION

FEELING OF MODERN NATURE

GLAZED PORCELAIN TILES
100x100cm

Product code:03.100100.21017

GLAZED PORCELAIN 100x100cm



V1

04 faces

03.100100.21018

Nano Polished | Carving Effect | Rectified



V1

04 faces

03.100100.21004

Nano Polished | Rectified



V1

04 faces

03.100100.21E00

Nano Polished | Rectified

PRIME

ELEGANCE MARBLE COLLECTION

FEELING OF MODERN NATURE

GLAZED PORCELAIN TILES
100x100cm

Product code:03.100100.21007

Huy Hoàng

EXTRA-LARGE

size

80x80cm

THE TRENDY DESIGN

Feeling of Modern Nature

GLAZED PORCELAIN TILES, SIZE: 80x80cm

Large-format porcelain tiles redefine modern living spaces with a touch of nature's grandeur. Their expansive scale creates a seamless canvas, showcasing rich visual details like marble veining textures with captivating depth. Fewer grout lines enhance the minimalist aesthetic, while the versatile size allows for stunning application on both floors and walls. This fusion of size, design, and durability ensures lasting beauty, making these tiles the perfect choice for a trendy space infused with the enduring appeal of nature.

Huy Hoàng

Glazed Porcelain Tiles size 80x80cm



Product code:03.800800.08628



03.800800.08798
Nano Polished | Rectified



03.800800.08628
Nano Polished | Rectified



Product code:03.800800.08798

Huy Hoàng

Glazed Porcelain Tiles size 80x80cm



Product code:03.800800.24700

03.800800.08892
Nano Polished | Rectified

03.800800.24700
Matt | Rectified

PRIME

THE TRENDY DESIGN

FEELING OF MODERN NATURE

GLAZED PORCELAIN TILES
80x80cm



Product code:03.800800.08892

Huy Hoàng

Glazed Porcelain Tiles size 80x80cm



Matt | Rectified

V1

02 face

03.800800.08714

Matt | Rectified



Full Polish | Rectified

V1

01 face

03.800800.08856

Nano Polished | Rectified

PRIME

THE TRENDY DESIGN

FEELING OF MODERN NATURE

GLAZED PORCELAIN TILES
80x80cm

Luy Hoàng

Product code:03.800800.08856

Glazed Porcelain Tiles size 80x80cm



Product code:03.800800.08979



03.800800.08979
Nano Polished | Rectified



03.800800.27E01
Nano Polished | Rectified

PRIME

THE TRENDY DESIGN

FEELING OF MODERN NATURE

GLAZED PORCELAIN TILES
80x80cm



Product code:03.800800.27E01

Huy Hoàng

Glazed Porcelain Tiles size 80x80cm



Product code:03.800800.08855



03.800800.08855
Nano Polished | Rectified



03.800800.08806
Nano Polished | Rectified



PRIME

THE TRENDY DESIGN

FEELING OF MODERN NATURE

GLAZED PORCELAIN TILES
80x80cm

Product code:03.800800.08806

Huy Hoàng

Glazed Porcelain Tiles Size 80x80cm

PRIME

THE TRENDY DESIGN

FEELING OF MODERN NATURE

GLAZED PORCELAIN TILES
80x80cm



V1

01
face

03.800800.27602
Nano Polished | Rectified

Huy Hoàng

HOME COLLECTION

Wood and Stone avant-garde for the new home

CERAMIC & PORCELAIN TILES SIZE: 60x60cm

Inspired by the enduring beauty of natural materials like wood and stone, this collection transcends mere imitation. These tiles, crafted with meticulous attention to detail, bring the essence of nature indoors.

Their larger format creates a sense of spacious ambiance, ideal for opening up any room. Effortless maintenance ensures their elegance endures, minimizing cleaning time and maximizing enjoyment. The clean lines and sophisticated aesthetic elevate any space with a touch of modern appeal.

Durable and timeless, these tiles resist wear and tear, ensuring their beauty graces your home for years to come. Their design versatility allows them to seamlessly integrate across floors and walls, catering to your unique vision.

Embrace the enduring elegance of nature, reimagined for the modern home.

Huy Hoàng

www.prime.vn www.prime.vn YouTube Prime Group JSC

PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED PORCELAIN TILES
60x60cm



Product code:03.600600.09676

HOME COLLECTION 2024

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED PORCELAIN 60x60cm



03.600600.45E05
Glossy | Rectified



03.600600.29743
Nano Polished | Fresh Ion Effect | Rectified



03.600600.29611
Nano Polished | Rectified



03.600600.29603
Nano Polished | Rectified



03.600600.29620
Nano Polished | Rectified

03.600600.09743
Nano Polished | Rectified



03.600600.11608
Nano Polished | Rectified



03.600600.09676
Nano Polished | Rectified



03.600600.45E02
Nano Polished | Rectified

Huy Hoàng

PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED PORCELAIN TILES
60x60cm



Product code: 03.600600.45E01

HOME COLLECTION 2024

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED PORCELAIN 60x60cm



V1

07 faces

03.600600.45E02
Nano Polished | Rectified



V1

03 faces

03.600600.29803
Nano Polished | Rectified



V1

06 faces

03.600600.45E01
Nano Polished | Rectified



V1

04 faces

03.600600.29177
Nano Polished | Fresh Ion Effect | Rectified



V1

06 faces

14.600600.42E51
Nano Polished | Rectified



V1

04 faces

03.600600.08484
Nano Polished | Rectified

Huy Hoàng

PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED PORCELAIN TILES
60x60cm



Product code: 03.600600.29612

HOME COLLECTION 2024

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED PORCELAIN 60x60cm



03.600600.29131
Nano Polished I Rectified



03.600600.29582
Nano Polished I Rectified



03.600600.29E56
Nano Polished I Fresh Ion Effect I Rectified



03.600600.29612
Nano Polished I Rectified



03.600600.29618
Nano Polished I Rectified



03.600600.09006
Nano Polished I Rectified



03.600600.29E42
Nano Polished I Rectified



03.600600.29E41
Nano Polished I Rectified



03.600600.29E38
Nano Polished I Rectified



PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED PORCELAIN TILES
60x60cm

Product code:03.600600.29617

HOME COLLECTION 2024

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED PORCELAIN 60x60cm



03.600600.17124
Nano Polished | Rectified



03.600600.29616
Nano Polished | Rectified



03.600600.29102
Matt | Rectified



03.600600.29581
Nano Polished | Rectified



03.600600.29607
Nano Polished | Rectified



03.600600.29162
Matt | Rectified



03.600600.29581
Nano Polished | Rectified



03.600600.29E05
Matt | Sugar Effect | Rectified



03.600600.29617
Nano Polished | Rectified

Huy Hoàng

PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED PORCELAIN TILES
60x60cm



Product code: 03.600600.12023

HOME COLLECTION 2024

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED PORCELAIN 60x60cm



03.600600.29E52
Nano Polished | Rectified



03.600600.29E47
Nano Polished | Fresh Ion Effect | Rectified



03.600600.29E48
Nano Polished | Fresh Ion Effect | Rectified



03.600600.12023
Nano Polished | Rectified



PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED CERAMIC TILES
60x60cm

Product code: 14.600600.32011

HOME COLLECTION 2024

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED CERAMIC TILES 60x60cm



13.600600.17702
Glossy | Rectified



13.600600.09656
Glossy | Rectified

14.600600.09616
Glossy | Rectified



14.600600.09811
Glossy | Rectified



13.600600.09684
Matt | Rectified

14.600600.09711
Glossy | Rectified



14.600600.32052
Nano Polished | Rectified



14.600600.32011
Nano Polished | Rectified



14.600600.32044
Nano Polished | Rectified

Huy Hoàng

PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

SEMI PORCELAIN TILES
60x60cm



HOME COLLECTION 2024

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

SEMI PORCELAIN TILES 60x60cm



V1

01 faces

14.600600.32061
Nano Polished | Fresh Ion Effect | Rectified

V1

07 faces

14.600600.32E08
Nano Polished | Rectified



V1

04 faces

14.600600.32043
Nano Polished | Rectified



V1

06 faces

14.600600.42E51
Nano Polished | Rectified

Huy Hoàng

Product code: 14.600600.32061

PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

SEMI PORCELAIN TILES
60x60cm



Product code: 14.600600.32034

HOME COLLECTION 2024

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

SEMI PORCELAIN TILES 60x60cm



14.600600.42E55
Nano Polished | Rectified

V1
01 face

14.600600.42E03
Nano Polished | Rectified

V1
04 faces



14.600600.32034
Nano Polished | Rectified

V1
08 faces



14.600600.32036
Nano Polished | Rectified

V1
04 faces



14.600600.32035
Nano Polished | Rectified

V1
04 faces



14.600600.32037
Nano Polished | Rectified

V1
04 faces

Huy Hoàng

PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

SEMI PORCELAIN TILES
60x60cm



Product code: 14.600600.32021

HOME COLLECTION 2024

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

SEMI PORCELAIN TILES 60x60cm



14.600600.32110
Nano Polished | Rectified



14.600600.32010
Nano Polished | Rectified



14.600600.32025
Nano Polished | Rectified



14.600600.32024
Nano Polished | Rectified



14.600600.42E02
Nano Polished | Rectified



14.600600.32027
Nano Polished | Rectified



14.600600.32021
Matt | Rectified



14.600600.42E07
Nano Polished | Rectified



14.600600.32008
Matt | Rectified

Huy Hoàng



PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

SEMI PORCELAIN TILES
60x60cm

Product code: 03.600600.32028

HOME COLLECTION 2024

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

SEMI PORCELAIN TILES 60x60cm



14.600600.42E53
Nano Polished | Rectified



14.600600.32042
Nano Polished | Rectified



14.600600.32029
Nano Polished | Rectified



14.600600.32006
Matt | Rectified



14.600600.32028
Nano Polished | Rectified



14.600600.32039
Nano Polished | Rectified



14.600600.32031
Nano Polished | Rectified



14.600600.32017
Matt | Rectified



14.600600.32016
Matt | Rectified

Huy Hoàng

PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED CERAMIC TILES
60x60cm



Product code: 13.600600.09709

HOME COLLECTION 2024

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED CERAMIC TILES 60x60cm



13.600600.09145
Matt I Rectified



13.600600.09709
Glossy I Rectified



14.600600.09798
Glossy I Rectified



13.600600.09147
Matt I Rectified



13.600600.09660
Glossy I Rectified



14.600600.09702
Glossy I Rectified



13.600600.09151
Matt I Rectified



14.600600.09648
Glossy I Rectified



13.600600.09153
Matt I Rectified

Huy Hoàng



PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED CERAMIC TILES
60x60cm

Product code: 03.600600.22010

HOME COLLECTION 2024

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED CERAMIC TILES 60x60cm



01.600600.22007
Glossy I Rectified



01.600600.39015
Nano Polished I Rectified



01.600600.22008
Nano Polished I Fresh Ion Effect I Rectified



01.600600.22010
Nano Polished I Rectified



01.600600.39801
Matt I Rectified



13.600600.09152
Matt I Rectified

Huy Hoàng

PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

SEMI PORCELAIN TILES
60x60cm



Product code: 13.600600.09133

HOME COLLECTION 2024

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

SEMI PORCELAIN TILES 60x60cm



13.600600.09133
Matt | Rectified

V1
01 faces



13.600600.09671
Matt | Rectified

V1
01 faces



14.600600.32038
Nano Polished | Rectified

V1
01 faces

Huy Hoàng

PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED CERAMIC TILES
60x60cm



Product code: 01.600600.39041

HOME COLLECTION 2024

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED CERAMIC TILES 60x60cm



14.600600.09676
Matt | Rectified

V1
01 faces



13.600600.17708
Glossy | Sinking Effect | Rectified

V1
01 faces



01.600600.39041
Matt | Rectified

V1
04 faces



14.600600.09682
Matt | Rectified

V1
01 faces

Huy Hoàng

ELEGANCE SIGNATURE

Porcelain, Semi Porcelain & Ceramic Tiles
Size: 20x120cm, 20x100cm, 15x90cm
15x80cm, 15x60cm

Bộ sưu tập gạch giả gỗ bổ sung ý tưởng mới trong sự hài hòa, thổi linh hồn và cá tính cho các chất liệu gỗ, tạo dấu ấn riêng cho không gian sống của bạn qua sự lịch lãm.

This wood effect tiles collection enhance a unique idea with simple harmony, give wooden materials character and personality, mark your home with an elegant signature.

Huy Hoàng

20x
120cm

ELEGANCE SIGNATURE

Semi Porcelain Tiles



06.200120.20812
Matt I Rectified
V1 | 06 faces



06.200120.20813
Matt I Rectified
V1 | 06 faces



06.200120.20814
Matt I Rectified
V1 | 06 faces



06.200120.20815
Matt I Rectified
V1 | 06 faces



06.200120.20816
Matt I Rectified
V1 | 06 faces



06.200120.20817
Matt I Rectified
V1 | 06 faces



06.200120.20818
Matt I Rectified
V1 | 06 faces



Product code: 06.200120.20817

Huy Hoàng

15x
90cm

ELEGANCE SIGNATURE

Glazed Porcelain Tiles

03.150900.08017
Matt I Rectified
V1 04 faces



03.150900.08018
Matt I Rectified
V1 04 faces



03.150900.08019
Matt I Rectified
V1 04 faces



03.150900.08020
Matt I Rectified
V1 04 faces



03.150900.08023
Matt I Rectified
V1 04 faces



03.150900.08021
Matt I Rectified
V1 04 faces



Product code: 03.150900.08018

Huy Hoàng

15x
90cm

ELEGANCE
SIGNATURE

Glazed Porcelain Tiles



03.150900.08022
Matt I Rectified

V1 04 faces



03.150900.08024
Matt I Rectified

V1 04 faces



03.150900.08025
Matt I Rectified

V1 04 faces



03.150900.08026
Matt I Rectified

V1 04 faces



03.150900.08027
Matt I Rectified

V1 04 faces



ELEGANCE
SIGNATURE

WOOD LOOK
15x90cm

Product code: 03.150900.08024

Huy Hoàng

15x
60cm

ELEGANCE
SIGNATURE

Semi Porcelain Tiles



06.150600.09540
Matt I Rectified

V1 04 faces



06.150600.09538
Matt I Rectified

V1 04 faces



06.150600.09532
Matt I Rectified

V1 04 faces

Huy Hoàng

ELEGANCE
SIGNATURE

WOOD LOOK
15x90cm

Product code: 03.150600.09532

PRIME
CLASSIC MELODY

A CERAMIC STRIP FOR FRESH LOOK

Glazed Ceramic Tiles size 50x50 & 40x40cm

Square-format tiles, a cornerstone of classic design, continue to grace homes with their timeless allure. Their perfect proportions create a sense of order and stability, perfectly complementing traditional aesthetics.

The beauty lies in their versatility. Offered in a wide array of designs, from intricate patterns to natural stone effects, these tiles can be tailored to suit any classic vision. From grand living areas to cozy bathrooms, their enduring appeal ensures a foundation of elegance for every room.

Huy Hoàng

PRIME

CLASSIC MELODY

A CERAMIC STRIP FOR FRESH LOOK

GLAZED CERAMIC TILES
40x40cm



Product code: 01.400400.09267

Glazed Ceramic tiles size 40x40cm



01.400400.02269
Glossy I Sinking Effect



01.400400.02207
Glossy



01.400400.02336
Glossy



01.400400.09267
Glossy I Sinking Effect



01.400400.02307
Glossy I Sinking Effect

PRIME

CLASSIC MELODY

A CERAMIC STRIP FOR FRESH LOOK

GLAZED CERAMIC TILES
40x40cm



Product code: 01.400400.02346

CLASSIC MELODY

Glazed Ceramic tiles size 40x40cm



01.400400.02255
Glossy



01.400400.02757
Glossy



01.400400.02346
Glossy I Sinking Effect



01.400400.02311
Glossy I Sinking Effect



01.400400.02347
Glossy I Sinking Effect

Huy Hoàng



Product code: 01.400400.02774

Glazed Ceramic tiles size 40x40cm



01.400400.02208
Glossy



01.400400.02209
Glossy



01.400400.02777
Glossy



01.400400.09236
Glossy



01.400400.09237
Glossy



01.400400.02277
Glossy



01.400400.02284
Glossy



01.400400.02774
Matt

Huy Hoang

PRIME

CLASSIC MELODY

A CERAMIC STRIP FOR FRESH LOOK

GLAZED CERAMIC TILES
40x40cm

Product code: 01.400400.09248

Glazed Ceramic tiles size 40x40cm



01.400400.09248
Glossy I Sinking Effect



01.400400.02268
Glossy I Sinking Effect



01.400400.02250
Glossy

PRIME

CLASSIC MELODY

A CERAMIC STRIP FOR FRESH LOOK

GLAZED CERAMIC TILES
40x40cm



Product code: 01.400400.02351

CLASSIC MELODY

Glazed Ceramic tiles size 40x40cm



Glossy · V1 · 01 face

01.400400.02353
Glossy



Glossy · V1 · 01 face

01.400400.02350
Glossy



Matt · V1 · 01 face

01.400400.02359
Matt



Glossy · V1 · 01 face

01.400400.02351
Glossy



Matt · V1 · 01 face

01.400400.07623
Matt



Matt · V1 · 01 face

01.400400.02776
Matt

Huy Hoàng

100% UNIQUE SPACE

Create a personalized space for you

Glazed Porcelain & Ceramic Tiles, size 30x60cm

Imagine a world of design possibilities. Prime's tiles become your canvas, transforming any room into a unique reflection of you. Our range goes beyond trends, offering a spectrum of styles to ignite your creativity.

Prime empowers you to explore. Advanced materials ensure effortless cleaning and lasting beauty, while the special anti-slip feature provides peace of mind. There are no limits - design your dream space with Prime.

Huy Hoàng

www.prime.vn www.prime.vn YouTube Prime Group JSC

100% UNIQUE SPACE

Ceramic Tiles size 30x60cm



05.300600.03E11
Glossy I Rectified



14.300600.09177
Glossy I Rectified



14.300600.09170
Glossy I Rectified



05.300600.03918
Glossy I Rectified



05.300600.03813
Matt I Rectified



14.300600.09396
Glossy I Rectified



05.300600.17425
Glossy I Rectified



14.300600.33075
Glossy I Rectified

Huy Hoàng

PRIME

100% UNIQUE SPACE

Glazed Porcelain Tiles
30x60cm

Product code: 14.300600.33075

100% UNIQUE SPACE

Ceramic Tiles size 30x60cm



05.300600.17419
Matt I Rectified



05.300600.03985
Matt I Rectified



05.300600.03E32
Matt I Rectified



05.300600.03E27
Matt I Rectified



05.300600.08633
Matt I Rectified



05.300600.03E23
Matt I Rectified



05.300600.03E22
Matt I Rectified



05.300600.03E28
Matt I Rectified

PRIME

100% UNIQUE SPACE

Glazed Ceramic Tiles size 30x60cm

Product code: 05.300600.03E23

Huy Hoàng

100% UNIQUE SPACE

Ceramic Tiles size 30x60cm



05.300600.03E06
Matt I Rectified



05.300600.03E07
Matt I Rectified



05.300600.03E09
Matt I Rectified



05.300600.03E10
Matt I Rectified



05.300600.03E16
Matt I Rectified



05.300600.03E17
Matt I Rectified



05.300600.03E18
Matt I Rectified



05.300600.03E20
Matt I Rectified

Huy Hoàng



Product code: 05.300600.03E10

100% UNIQUE SPACE

Semi Porcelain Tiles size 30x60cm



14.300600.43E01
Nano Polished| Rectified



14.300600.43E02
Nano Polished| Rectified



14.300600.43E03
Nano Polished| Rectified



14.300600.43E04
Nano Polished| Rectified



14.300600.43E05
Nano Polished| Rectified



14.300600.43E06
Nano Polished| Rectified



14.300600.33E01
Nano Polished| Rectified



14.300600.43E07
Nano Polished| Rectified



Product code: 14.300600.43E01

100% UNIQUE SPACE

Glazed Ceramic Tiles size 30x60cm



14.300600.09192
Glossy | Rectified



14.300600.09198
Glossy | Rectified



14.300600.09173
Glossy | Rectified



14.300600.09171
Glossy | Rectified



05.300600.03825
Matt | Rectified



14.300600.09395
Glossy | Rectified



14.300600.09188
Glossy | Rectified



14.300600.09189
Glossy | Rectified

Huy Hoàng

PRIME

100% UNIQUE SPACE

Glazed Ceramic Tiles 30x60cm

Product code: 14.300600.09173

100% UNIQUE SPACE

Glazed Ceramic Tiles size 30x60cm



14.300600.43E56
Matt I Rectified



05.300600.03E29
Matt I Rectified



05.300600.03997
Matt I Structured Effect I Rectified



05.300600.03963
Matt I Rectified



13.300600.09508
Matt I Rectified



13.300600.09512
Glossy I Rectified



05.300600.03E13
Matt I Rectified



14.300600.09195
Glossy I Rectified



Product code: 14.300600.43E56

100% UNIQUE SPACE

Glazed Ceramic Tiles size 30x60cm



05.300600.03991
Matt| Rectified

05.300600.03E30
Matt | Rectified



05.300600.03842
Matt| Rectified

05.300600.03957
Matt| Rectified



05.300600.03827
Matt| Rectified



14.300600.43E51
Glossy| Rectified



05.300600.03804
Matt| Rectified



Huy Hoàng

100% UNIQUE SPACE

Glazed Ceramic Tiles size 30x60cm

14.300600.09174
Glossy I Rectified



14.300600.33E08
Glossy I Rectified

14.300600.43E54
Matt I Rectified



14.300600.33E09
Glossy I Rectified



14.300600.43E52
Matt I Rectified



14.300600.33E02
Glossy I Rectified



14.300600.33E07
Glossy I Rectified



14.300600.43E55
Matt I Rectified

Huy Hoàng



Product code: 14.300600.33E07

100% UNIQUE SPACE

Glazed Ceramic Tiles, size 30x60cm



05.300600.03E15
Matt | Rectified



05.300600.03E13
Matt | Rectified



05.300600.03863
Matt | Rectified



05.300600.03E24
Matt | Rectified



05.300600.09227
Glossy | Rectified



05.300600.03E25
Matt | Rectified



05.300600.03E26
Matt | Rectified



05.300600.03E31
Matt | Rectified

Huy Hoang



Product code: 05.300600.03E13

100% UNIQUE SPACE

Glazed Ceramic Tiles size 25x40cm



05.250400.02301
Glossy



05.250400.02326
Matt



05.250400.02307
Glossy



05.250400.02309
Glossy



Product code: 05.250400.02301

Huy Hoàng

PRIME



ELEGANCE SIGNATURE

ELEGANCE SIGNATURE DECORATIVE

Glazed Ceramic Tiles size 30x30cm

The Decorative Tiles Collection is an invitation to orchestrate a symphony of textures and colors within your home. Forget the ordinary; here, inspiration ignites. Curated from the most captivating designs, this collection blends and reimagines tile surfaces. Cutting-edge technology allows for a mesmerizing interplay of light and dimension. Imagine a canvas where ceramic morphs into metallic, and smooth surrenders to the allure of the rough. The Decorative Tiles Collection empowers you to transform your living space, not through a single statement, but through a harmonious interplay of the senses. Here, the ordinary becomes a stepping stone to the extraordinary.

Huy Hoang

Glazed Ceramic Tiles Size 30x30cm



06.300300.02697
Glossy



06.300300.02107
Glossy I Sinking Effect



06.300300.02371
Glossy I Sinking Effect



06.300300.02312
Glossy I Sinking Effect



06.300300.09192
Matt on Glossy I Structured Effect



06.300300.09194
Matt on Glossy I Structured Effect



Product code: 06.300300.02192

HOME COLLECTION
A CERAMIC STRIP FOR FRESH LOOK

Glazed Semi Porcelain & Ceramic Tiles size 60x60cm, 40x40cm

Our ceramic collection breathes new life into tradition. Offered in versatile 40x40 and 60x60 sizes, these tiles enhance both indoor and outdoor spaces. The textured surface adds depth, creating a warm and inviting atmosphere. Perfect for modern homes, this collection seamlessly blends timeless material with contemporary design, fostering a sense of comfortable elegance in every room.

Huy Hoang

PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED SEMI PORCELAIN & CERAMIC TILES
SIZE 60x60cm



Product code: 13.600600.09105

HOME COLLECTION 2024

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED SEMI PORCELAIN & CERAMIC TILES
SIZE 60x60cm



V1
01 face

14.600600.32124
Matt | Structured Effect | Rectified



V1
01 face

13.600600.09114
Matt | Sugar & Structured Effect | Rectified



V1
01 face

13.600600.09102
Matt | Sugar & Structured Effect | Rectified

PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED CERAMIC TILES
40x40cm



Product code: 01.400400.10305

HOME COLLECTION 2024

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED CERAMIC TILES 40x40cm



06.400400.08010
Matt I



01.400400.10306
Matt I Structured Effect



01.400400.10305
Matt I Structured Effect

PRIME

HOME COLLECTION

WOOD AND STONE AVANT GARDE FOR THE NEW HOME

GLAZED PORCELAIN TILES
40x40cm



14.400400.01592
Matt I Sugar Effect

01.400400.09220
Glossy I Structured Effect

Product code: 01.400400.09427











TILE EFFECT HIGHLIGHTS



HuyHoang

Characteristics	Prime Group 2024 Standard repuirements Group BI_a, $E_b \leq 0.5\%$			Prime Group 2024 Standard repuirements Group BIb, $0.5 < Eb \leq 3.0\%$			Test method
Dimensions and surface quality **Kích thuóc và chất lượng bề mặt**	**Nominal size N**			**Nominal size N**			
	7cm≤ N≤15cm	**N≥15cm**		**7cm≤ N≤15cm**	**N≥15cm**		
	mm	%	mm	mm	%	mm	
Length and width/ Chiều dài và rộng							**ISO 10545-2, ASTM C499**
For non- rectified, the diviation of aver-age size for each tile (two or four sides) from the work size *Đối với gạch không mài cạnh sai lệch trung bình của mỗi viên gạch (hai hoặc bốn cạnh) so với kích thuóc làm việc*	± 0.9	± 0.6	± 2.0	± 0.9	± 0.6	± 2.0	
For rectified, the diviation of aver-age size for each tile (two or four sides) from the work size *Đối với gạch mài cạnh sai lệch trung bình của mỗi viên gạch (hai hoặc bốn cạnh) so với kích thuóc làm việc*	± 0.4	± 0.3	± 1.0	± 0.4	± 0.3	± 1.0	
Thickness/ Chiều dày							
The deviation of average thickness of each tile from the work size thickness Sai lệch chiều dày trung bình mỗi viên so với chiều dày làm việc	± 0.5	± 5.0	± 0.5	± 0.5	± 5.0	± 0.5	
Straightness of sides/ Độ thẳng cạnh							
For non- rectified tiles, the maximum deviation from straightness related to the corresponding work sizes. *Đối với gạch không mài cạnh sai lệch lớn nhất của độ thẳng cạnh so với kích thuóc làm việc*	± 0.8	± 0.5	± 1.5	± 0.8	± 0.5	± 1.5	
For rectified tiles, the maximum deviation from straightness related to the corresponding work sizes *Đối với gạch mài cạnh sai lệch lớn nhất của độ thẳng cạnh so với kích thuóc làm việc*	± 0.4	± 0.3	± 0.8	± 0.4	± 0.3	± 0.8	
Rectangularity/ Độ vuông góc							
For rectified tiles, the maximum deviation from straightness related to the corresponding work sizes *Đối với gạch mài cạnh sai lệch lớn nhất của độ thẳng cạnh so với kích thuóc làm việc*	± 0.8	± 0.5	± 2.0	± 0.8	± 0.5	± 2.0	
For rectified tiles, the maximum deviation from rectangularitys related to the corresponding work sizes *Đối với gạch mài cạnh sai lệch lớn nhất của độ thẳng cạnh so với kích thuóc làm việc*	± 0.4	± 0.3	± 1.5	± 0.4	± 0.3	± 1.5	
Surface quality/ Chất lượng bề mặt							**ISO 10545-2**
a. Centre curvature/Cong trung tâm: For non- rectified tiles, centre curvature related to diagonal caculated from the work sizes *Đối với gạch không mài cạnh sai lệch lớn nhất ở vị trí trung tâm so với chiều dài đuòng chéo*	± 0.8	± 0.5	± 2.0	± 0.8	± 0.5	± 2.0	
b.Centre curvature/Cong trung tâm: For rectified tiles, centre curvature related to diagonal caculated from the work sizes *Đối với gạch mài cạnh sai lệch lớn nhất ở vị trí trung tâm so với chiều dài đuòng chéo*	± 0.6	± 0.4	± 1.8	± 0.6	± 0.4	± 1.8	
c. Edge curvature/ Độ cong cạnh mép For non- rectified tiles, edge curvature related to the corresponding work sizes *Đối với gạch không mài cạnh sai lệch lớn nhất ở vị trí giữa cạnh mép so với kích thuóc làm việc*	± 0.8	± 0.5	± 2.0	± 0.8	± 0.5	± 2.0	
d. Edge curvature/ Độ cong cạnh mép For rectified tiles, edge curvature related to the corresponding work sizes *Đối với gạch mài cạnh sai lệch lớn nhất ở vị trí giữa cạnh mép so với kích thuóc làm việc*	± 0.6	± 0.4	± 1.8	± 0.6	± 0.4	± 1.8	
e. Warpage/ Độ vênh góc For non- rectified tiles, warpage related to diagonal caculated from the work sizes *Đối với gạch không mài cạnh sai lệch lớn nhất ở vị trí góc so với chiều dài đuòng chéo*	± 0.8	± 0.5	± 2.0	± 0.8	± 0.5	± 2.0	
f. Warpage/ Độ vênh góc For rectified tiles, warpage related to diagonal caculated from the work sizes *Đối với gạch không mài cạnh sai lệch lớn nhất ở vị trí góc so với chiều dài đuòng chéo*	± 0.6	± 0.4	± 1.8	± 0.6	± 0.4	± 1.8	
Surface quality/ Chất lượng bề mặt	A minimum of 95% of the tiles are to be free from visible defects which can impair the appearance of a major area of tiles / *Diện tích bề mặt quan sát không có khuyết tật trông thấy không nhỏ hơn 95%*			A minimum of 95% of the tiles are to be free from visible defects which can impair the appearance of a major area of tiles / *Diện tích bề mặt quan sát không có khuyết tật trông thấy không nhỏ hơn 95%*			**ISO 10545-2**

Physical property/ Đặc tính vật lý			
Water absorption/ Độ hút nước	$E_b \leq 0.3\%$,	$0.5 < Eb \leq 3.0\%$	**ISO 10545-3, ASTM C373**
Breaking strength, in Newtons (N)/ Lực uốn gẫy(N)			**ISO 10545-4, ASTM C1505**
Thickness ≥7.5 mm, chiều dày ≥ 7.5 mm	Not less than 2000 Không nhỏ hơn 2000	Not less than 1100 Không nhỏ hơn 1100	
Thickness <7.5 mm, chiều dày < 7.5 mm	Not less than 700 Không nhỏ hơn 700	Not less than 700 Không nhỏ hơn 700	
Modulus of rupture(N/mm²)/ Độ bền uốn(N/mm²)	Minimum 38 Tối thiểu 38	Minimum 30, Individual minimum 27 Tối thiểu 30, Múc tối thiểu của từng mẫu 27	**ISO 10545-4, ASTM C1505**
Hard Mohs/ Độ cứng bề mặt theo thang Mohs	Required/Theo yêu cầu	Required/Theo yêu cầu	**E101, TCVN 6415-18**
Abrasion resistance/ Độ bền mài mòn	Minimum class 2/ *Tối thiểu cấp 2*	Minimum class 2/ *Tối thiểu cấp 2*	**ISO10545-7, ASTM C1027**
DCOF(ANSI A326.3)	Required/Theo yêu cầu	Required/Theo yêu cầu	**ANSI A326.3**
Cofficient of linear thermal expansion From ambient temperature to 100°C Hệ số giãn nở nhiệt dài từ nhiệt độ phòng đến 100°C	Required/Theo yêu cầu	Required/Theo yêu cầu	**ISO10545-8**
Thermal shock resistance/ Độ bền sốc nhiệt	Required/Theo yêu cầu	Required/Theo yêu cầu	**ISO10545-9, ASTM C484**
Crazing resistane/ Độ bền rạn men	Required/Theo yêu cầu	Required/Theo yêu cầu	**ISO10545-11, ASTM C424**
Frost resistance/ Độ bền băng giá	Required/Theo yêu cầu	Required/Theo yêu cầu	**ISO10545-12, ASTM C1026**
Bond strength/adhesion / Độ bền liên kết/ bám dính	N/A	N/A	
Moisture expansion/ Hệ số giãn nở ẩm, mm/m	N/A	N/A	
Small colour diferences/ Sự khác biệt nhỏ về màu	Plain coloured tiles only where required/ Gạch đơn màu ΔE < 0.75	Plain coloured tiles only where required/ Gạch đơn màu ΔE < 0.75	**ISO10545-16,ASTM C609**
Impact resistance/ Độ bền va đập	N/A	N/A	
Chemical property / *Đặc tính hóa học*			
Resistance to staining/ Độ bền chống bám bẩn	Minimum class 3 Tối thiểu cấp 3	Minimum class 3 Tối thiểu cấp 3	**ISO 10545-13, ASTM C1378**
Resistance to chemicals/ Độ bền hóa học			**ISO 10545-14, ASTM C650**
- Resistance to low concentrations of acids and alkalis Đối với các loại axit và kiềm nồng độ thấp	Manufacturer is to state classification *Do nhà sản xuất phân loại*	Manufacturer is to state classification *Do nhà sản xuất phân loại*	
-Resistance to high concentrations of acids and alkalis Đối với các loại axit và kiềm nồng độ thấp	Test method available/ *theo phương pháp thử*	Test method available/ *theo phương pháp thử*	
-Resistance to household chemicals and swimming pool salts Đối với các loại muối bể bơi và hóa phẩm dân dụng	Minimum B Tối thiểu nhóm B	Minimum B Tối thiểu nhóm B	
Release of dangerous substances (Lead, cadmium and other dangerous substances)	Test method available/ *theo phương pháp thử*	Test method available/ *theo phương pháp thử*	**ISO10545-15**

Huy Hoàng

Characteristics	Prime Group 2024 Standard repuirements Group BIIa, 3%< Eb ≤ 6.0%			Prime Group 2024 Standard repuirements Group BIIb, 6%< Eb ≤ 10%			Test method
Dimensions and surface quality **Kích thước và chất lượng bề mặt**	Nominal size N			Nominal size N			
	7cm≤ N≤15cm	N≥15cm		7cm≤ N≤15cm	N≥15cm		
	mm	%	mm	mm	%	mm	
Length and width/ Chiều dài và rộng							ISO 10545-2, ASTM C499
For non- rectified, the diviation of aver-age size for each tile (two or four sides) from the work size *Đối với gạch không mài cạnh sai lệch trung bình của mỗi viên gạch (hai hoặc bốn cạnh) so với kích thước làm việc*	± 0.9	± 0.6	± 2.0	± 0.9	± 0.6	± 2.0	
For rectified, the diviation of aver-age size for each tile (two or four sides) from the work size *Đối với gạch mài cạnh sai lệch trung bình của mỗi viên gạch (hai hoặc bốn cạnh) so với kích thước làm việc*	± 0.4	± 0.3	± 1.0	± 0.4	± 0.3	± 1.0	
Thickness/ Chiều dày							
The deviation of average thickness of each tile from the work size thickness Sai lệch chiều dày trung bình mỗi viên so với chiều dày làm việc	± 0.5	± 5.0	± 0.5	± 0.5	± 5.0	± 0.5	
Straightness of sides/ Độ thẳng cạnh							
For non- rectified tiles, the maximum deviation from straightness related to the corresponding work sizes. *Đối với gạch không mài cạnh sai lệch lớn nhất của độ thẳng cạnh so với kích thước làm việc.*	± 0.8	± 0.5	± 1.5	± 0.8	± 0.5	± 1.5	
For rectified tiles, the maximum deviation from straightness related to the corresponding work sizes *Đối với gạch mài cạnh sai lệch lớn nhất của độ thẳng cạnh so với kích thước làm việc*	± 0.4	± 0.3	± 0.8	± 0.4	± 0.3	± 0.8	
Rectangularity/ Độ vuông góc							
For rectified tiles, the maximum deviation from straightness related to the corresponding work sizes *Đối với gạch mài cạnh sai lệch lớn nhất của độ thẳng cạnh so với kích thước làm việc*	± 0.8	± 0.5	± 2.0	± 0.8	± 0.5	± 2.0	
For rectified tiles, the maximum deviation from rectangularitys related to the corresponding work sizes Đối với gạch mài cạnh sai lệch lớn nhất của độ thẳng cạnh so với kích thước làm việc	± 0.4	± 0.3	± 1.5	± 0.4	± 0.3	± 1.5	
Surface quality/ Chất lượng bề mặt							ISO 10545-2
a. Centre curvature/Cong trung tâm: For non- rectified tiles, centre curvature related to diagonal caculated from the work sizes *Đối với gạch không mài cạnh sai lệch lớn nhất ở vị trí trung tâm so với chiều dài đường chéo*	± 0.8	± 0.5	± 2.0	± 0.8	± 0.5	± 2.0	
b.Centre curvature/Cong trung tâm: For rectified tiles, centre curvature related to diagonal caculated from the work sizes *Đối với gạch mài cạnh sai lệch lớn nhất ở vị trí trung tâm so với chiều dài đường chéo*	± 0.6	± 0.4	± 1.8	± 0.6	± 0.4	± 1.8	
c. Edge curvature/ Độ cong cạnh mép For non- rectified tiles, edge curvature related to the correspond-ing work sizes *Đối với gạch không mài cạnh sai lệch lớn nhất ở vị trí giữa cạnh mép so với kích thước làm việc*	± 0.8	± 0.5	± 2.0	± 0.8	± 0.5	± 2.0	
d. Edge curvature/ Độ cong cạnh mép For rectified tiles, edge curvature related to the corresponding work sizes *Đối với gạch mài cạnh sai lệch lớn nhất ở vị trí giữa cạnh mép so với kích thước làm việc*	± 0.6	± 0.4	± 1.8	± 0.6	± 0.4	± 1.8	
e. Warpage/ Độ vênh góc For non- rectified tiles, warpage related to diagonal caculated from the work sizes *Đối với gạch không mài cạnh sai lệch lớn nhất ở vị trí góc so với chiều dài đường chéo*	± 0.8	± 0.5	± 2.0	± 0.8	± 0.5	± 2.0	
f. Warpage/ Độ vênh góc For rectified tiles, warpage related to diagonal caculated from the work sizes *Đối với gạch không mài cạnh sai lệch lớn nhất ở vị trí góc so với chiều dài đường chéo*	± 0.6	± 0.4	± 1.8	± 0.6	± 0.4	± 1.8	
Surface quality/ Chất lượng bề mặt	A minimum of 95% of the tiles are to be free from visible defects which can impair the appearance of a major area of tiles / *Diện tích bề mặt quan sát không có khuyết tật trông thấy không nhỏ hơn 95%*			A minimum of 95% of the tiles are to be free from visible defects which can impair the appearance of a major area of tiles / *Diện tích bề mặt quan sát không có khuyết tật trông thấy không nhỏ hơn 95%*			ISO 10545-2

SPECIFICATIONS CERAMIC TILES, GROUP NHÓM BIIa, BIIb

Physical property/ Đặc tính vật lý			
Water absorption/ *Độ hút nước*	3%< Eb ≤ 6.0%	6% < Eb < 10%, Individual maximum 11% Mức tối đa của từng mẫu 11%	ISO 10545-3, ASTM C373
Breaking strength, in Newtons (N)/ Lực uốn gãy(N)			ISO 10545-4, ASTM C1505
Thickness ≥7.5 mm, chiều dày ≥ 7.5 mm	Not less than 1100 Không nhỏ hơn 1100	Not less than 800 Không nhỏ hơn 800	
Thickness <7.5 mm, chiều dày < 7.5 mm	Not less than 700 Không nhỏ hơn 700	Not less than 500 Không nhỏ hơn 500	
Modulus of rupture(N/mm²)/ Độ bền uốn(N/mm²)	Minimum 30, Individual minimum 27 Tối thiểu 30, Mức tối thiểu của từng mẫu 27	Minimum 18, Individual minimum 16 Tối thiểu 18, Mức tối thiểu của từng mẫu 16	ISO 10545-4, ASTM C1505
Hard Mohs/ Độ cứng bề mặt theo thang Mohs	Required/Theo yêu cầu	Required/Theo yêu cầu	E101, TCVN 6415-18
Abrasion resistance/ Độ bền mài mòn	Minimum class 2 /Tối thiểu cấp 2	Minimum class 2 /Tối thiểu cấp 2	ISO10545-7, ASTM C1027
DCOF(ANSI A326.3)	Required/Theo yêu cầu	Required/Theo yêu cầu	ANSI A326.3
Cofficient of linear thermal expansion From ambient temperature to 100°C *Hệ số giãn nở nhiệt dài từ nhiệt độ phòng đến 100°C*	Required/Theo yêu cầu	Required/Theo yêu cầu	ISO10545-8
Thermal shock resistance/ *Độ bền sốc nhiệt*	Required/Theo yêu cầu	Required/Theo yêu cầu	ISO10545-9, ASTM C484
Crazing resistane/ *Độ bền rạn men*	Required/Theo yêu cầu	Required/Theo yêu cầu	ISO10545-11, ASTM C424
Frost resistance/ *Độ bền băng giá*	Required/Theo yêu cầu	Required/Theo yêu cầu	ISO10545-12, ASTM C1026
Bond strength/adhesion / *Độ bền liên kết/ bám dính*	N/A	N/A	
Moisture expansion/ *Hệ số giãn nở ẩm, mm/m*	N/A	N/A	
Small colour diferences/ *Sự khác biệt nhỏ về màu*	N/A	N/A	ISO10545-16,ASTM C609
Impact resistance/ *Độ bền va đập*	N/A	N/A	
Chemical property / *Đặc tính hóa học*			
Resistance to staining/ *Độ bền chống bám bẩn*	Minimum class 3 Tối thiểu cấp 3	Minimum class 3 Tối thiểu cấp 3	ISO 10545-13, ASTM C1378
Resistance to chemicals/ *Độ bền hóa học*			ISO 10545-14, ASTM C650
- Resistance to low concentrations of acids and alkalis *Đối với các loại axit và kiềm nồng độ thấp*	Manufacturer is to state classification *Do nhà sản xuất phân loại*	Manufacturer is to state classification *Do nhà sản xuất phân loại*	
-Resistance to high concentrations of acids and alkalis *Đối với các loại axit và kiềm nồng độ thấp*	Test method available/ *Theo phương pháp thử*	Test method available/ *Theo phương pháp thử*	
-Resistance to household chemicals and swimming pool salts Đối với các loại muối bể bơi và hóa phẩm dân dụng	Minimum B Tối thiểu nhóm B	Minimum B Tối thiểu nhóm B	
Release of dangerous substances *(Lead, cadmium and other dangerous substances)*	Test method available/ *theo phương pháp thử*	Test method available/ *Theo phương pháp thử*	ISO10545-15

Huy Hoàng

Characteristics	Prime Group 2024 Standard repuirements Group BIII, E>10%			Test method
Dimensions and surface quality Kích thước và chất lượng bề mặt	**Nominal size N**			
	7cm≤ N≤15cm	**N≥15cm**		
	mm	%	mm	
Length and width/ Chiều dài và rộng				
For non- rectified, the diviation of aver-age size for each tile (two or four sides) from the work size *Đối với gạch không mài cạnh sai lệch trung bình của mỗi viên gạch (hai hoặc bốn cạnh) so với kích thước làm việc*	± 0.9	± 0.6	± 2.0	
For rectified, the diviation of aver-age size for each tile (two or four sides) from the work size *Đối với gạch mài cạnh sai lệch trung bình của mỗi viên gạch (hai hoặc bốn cạnh) so với kích thước làm việc*	± 0.4	± 0.3	± 1.0	
Thickness/ Chiều dày				
The deviation of average thickness of each tile from the work size thickness Sai lệch chiều dày trung bình mỗi viên so với chiều dày làm việc	± 0.5	± 10.0	± 0.5	
Straightness of sides/ Độ thẳng cạnh				
For non- rectified tiles, the maximum deviation from straightness related to the corresponding work sizes. *Đối với gạch không mài cạnh sai lệch lớn nhất của độ thẳng cạnh so với kích thước làm việc.*	± 0.8	± 0.5	± 1.5	
For rectified tiles, the maximum deviation from straightness related to the corresponding work sizes *Đối với gạch mài cạnh sai lệch lớn nhất của độ thẳng cạnh so với kích thước làm việc*	± 0.4	± 0.3	± 0.8	
Rectangularity/ Độ vuông góc				
For rectified tiles, the maximum deviation from straightness related to the corresponding work sizes *Đối với gạch mài cạnh sai lệch lớn nhất của độ thẳng cạnh so với kích thước làm việc*	± 0.8	± 0.5	± 2.0	
For rectified tiles, the maximum deviation from rectangularitys related to the corresponding work sizes Đối với gạch mài cạnh sai lệch lớn nhất của độ thẳng cạnh so với kích thước làm việc	± 0.4	± 0.3	± 1.5	
Surface quality/ Chất lượng bề mặt				
a. Centre curvature/Cong trung tâm: For non- rectified tiles, centre curvature related to diagonal caculated from the work sizes *Đối với gạch không mài cạnh sai lệch lớn nhất ở vị trí trung tâm so với chiều dài đường chéo*	± 0.8	± 0.5	± 2.0	
b.Centre curvature/Cong trung tâm: For rectified tiles, centre curvature related to diagonal caculated from the work sizes *Đối với gạch mài cạnh sai lệch lớn nhất ở vị trí trung tâm so với chiều dài đường chéo*	± 0.8	± 0.5	± 2.0	
c. Edge curvature/ Độ cong cạnh mép For non- rectified tiles, edge curvature related to the corresponding work sizes *Đối với gạch không mài cạnh sai lệch lớn nhất ở vị trí giữa cạnh mép so với kích thước làm việc*	± 0.8	± 0.5	± 2.0	
d. Edge curvature/ Độ cong cạnh mép For rectified tiles, edge curvature related to the corresponding work sizes *Đối với gạch mài cạnh sai lệch lớn nhất ở vị trí giữa cạnh mép so với kích thước làm việc*	± 0.6	± 0.4	± 1.8	

e. Warpage/ Độ vênh góc For non- rectified tiles, warpage related to diagonal caculated from the work sizes *Đối với gạch không mài cạnh sai lệch lớn nhất ở vị trí góc so với chiều dài đường chéo*	± 0.8	± 0.5	± 2.0	
f. Warpage/ Độ vênh góc For rectified tiles, warpage related to diagonal caculated from the work sizes *Đối với gạch không mài cạnh sai lệch lớn nhất ở vị trí góc so với chiều dài đường chéo*	± 0.6	± 0.4	± 1.8	
Surface quality/ Chất lượng bề mặt	A minimum of 95% of the tiles are to be free from visible defects which can impair the appearance of a major area of tiles / *Diện tích bề mặt quan sát không có khuyết tật trông thấy không nhỏ hơn 95%*			
Physical property/ Đặc tính vật lý				
Water absorption/ *Độ hút nước*	10% < Eb < 20%			
Breaking strength, in Newtons (N)/ Lực uốn gẫy(N)				
Thickness ≥7.5 mm, chiều dày ≥ 7.5 mm	> 600 N			
Thickness <7.5 mm, chiều dày < 7.5 mm	> 200 N			
Modulus of rupture(N/mm²)/ Độ bền uốn(N/mm²)	Thickness ≥7.5 mm, chiều dày ≥7.5 mm: Minimum 12 Thickness < 7.5 mm, chiều dày < 7.5 mm: Minimum 15			
Hard Mohs/ Độ cứng bề mặt theo thang Mohs	N/A			
Abrasion resistance/ Độ bền mài mòn	Report abrasion class and cycles passed/ Theo cấp mài mòn và số vòng quay đã đạt được trong từng báo cáo			
DCOF(ANSI A326.3)	N/A			
Cofficient of linear thermal expansion From ambient temperature to 100°C *Hệ số giãn nở nhiệt dài từ nhiệt độ phòng đến 100°C*	Test method available/ *theo phương pháp thử*			
Thermal shock resistance/ *Độ bền sốc nhiệt*	Required/Theo yêu cầu			
Crazing resistane/ *Độ bền rạn men*	Required/Theo yêu cầu			
Frost resistance/ *Độ bền băng giá*	Required/Theo yêu cầu			
Bond strength/adhesion / *Độ bền liên kết/ bám dính*	N/A			
Moisture expansion/ *Hệ số giãn nở ẩm, mm/m*	Test method available/ *theo phương pháp thử*			
Small colour diferences/ *Sự khác biệt nhỏ về màu*	Plain coloured tiles only where required/ Gạch đơn màu ΔE < 0.75			
Impact resistance/ *Độ bền va đập*	Test method available/ *theo phương pháp thử*			
Chemical property / *Đặc tính hóa học*				
Resistance to staining/ *Độ bền chống bám bẩn*	Minimum class 3 Tối thiểu cấp 3			
Resistance to chemicals/ *Độ bền hóa học*				
- Resistance to low concentrations of acids and alkalis *Đối với các loại axit và kiềm nồng độ thấp*	Manufacturer is to state classification Do nhà sản xuất phân loại			
-Resistance to high concentrations of acids and alkalis *Đối với các loại axit và kiềm nồng độ thấp*	Test method available/ *theo phương pháp thử*			
-Resistance to household chemicals and swimming pool salts Đối với các loại muối bể bơi và hóa phẩm dân dụng	Minimum B Tối thiểu nhóm B			

Huy Hoàng



ITEM	cm	inch	mm		m^3	kg		m^2	kg
Gạch ốp tường tráng men *Glazed Ceramic Wall Tiles*	10x30	04x12	9.5	32	0.96	17.0	81	77.76	1,377.00
	25x40	10x16	7.3	10	1.00	13.0	112	112.0	1,456.00
	30x30	12x12	9.0	11	0.99	15.0	81	80.19	1,215.00
	30x45	12x18	8.2	7	0.94	13	96	90.24	1.248.00
	30x60	12x24	9.0	8	1.44	23.5	60	86.4	1,410.00
	40x80	15x31	10.5	4	1.28	23.5±0.5	44	66.56	1,034.00
	45x90	17x35	10.5	4	1.62	28±1	48	79.38	1,344.00
	50x86	20x34	10.7	4	1.72	28.5	40	68.8	1,140.00
Gạch lát sàn tráng men *Glazed Ceramic Floor Tiles*	15x60	06x24	10	11	0.99	21	72	71.28	1,512.00
	15x80	06x31	11	8	0.96	23	72	69.12	1,656.00
	50x50	20x20	9.8	4	1.00	20.5	80	80.0	1,640.00
	40x40	16x16	8.8	6	0.96	17.5	80	76.8	1,400.00
	30x30	12x12	8.0	11	0.99	17.0	90	89.10	1,514.70
	20x40	8x16	8.8	12	0.96	16.5	80	76.8	1,320.00
Gạch men sứ *Glazed Porcelain Tiles*	80x120	31x47	12.3	2	1.92	55.0	40	76.8	2,200.00
	60x120	24x47	12.3	2	1.44	41.0	56	80.64	2,296.00
	80x80	31x31	11.2	3	1.92	47.4	28	53.76	1,327.20
	60x60	24x24	10.4	4	1.44	34.0	36	51.84	1,224.00

Huy Hoàng



PRIME

Thịnh vượng là Prime

CHẤT LƯỢNG QUỐC TẾ

WORLD CLASS QUALITY

Trụ sở chính Tập đoàn Prime Group

KCN Bình Xuyên, Thị trấn Hương Canh, H. Bình Xuyên, Tỉnh Vĩnh Phúc

ĐT: 0211 3888 987

Văn phòng Đà Nẵng

76 Võ Chí Công, P. Hòa Xuân, Q. Cẩm Lệ, TP. Đà Nẵng

T: +84 2366 519 288 | F: +84 2366 519 289 | E: info@prime.vn

Văn phòng Hồ Chí Minh

63-65 Nguyễn Thế Truyện, P.Tân Sơn Nhì, Q.Tân Phú, TP. Hồ Chí Minh

T: +84 286 675 0011 | F: +84 286 675 0022 | E: info@prime.vn

Công ty cổ phần Prime Group

Add: KCN Bình Xuyên, TT. Hương Canh, H. Bình Xuyên, T. Vĩnh Phúc

Tel: +84 211 3888 987 | Fax: +84 211 3888 986

Email: info@prime.vn | www.prime.vn

www.prime.vn

Huy Hoàng