TAICERA®

GENERAL

PRODUCT CATALOGUE



Huy Hoàng

TAICERA®

CONTENT

01. ABRASION 01-06 PAGE
FULL BODY RUSTIC TILES

PARK WAY SERIES

BUSH HAMMER SERIES

SLATE SERIES

TERRAZZO STONE SERIES

UNI STONE SERIES

AMBASSADOR SERIES

LAVA SERIES SERIES

GRANITE 3.0 SERIES

JAPAN ANTISLIP - R11

ADORIA SERIES

CERIFOS SERIES

FIUMI SERIES

ANTI SLIP SERIES

LILIYA SERIES

LAVA SERIES

02. ABRASION 07-10 PAGE
FULL BODY PRINTING TILES

TRANSFORM SERIES

PRAISE SERIES

NATURE SERIES

MIX STONE SERIES

BASALT ROCK SERIES

03. ABRASION 11-12 PAGE
HOVE TILES

HOVE SERIES

04. 13-14 PAGE
GLAZED PORCELAIN TILES
& GLAZED FULL POLISH TILES

SUPPER WHITE SERIES

SUPPER BLACK SERIES

KIMBERLITE SERIES

05. 15-24 PAGE
GLAZED PORCELAIN TILES

TRANG AN SERIES

SAND STONE SERIES

BASALT SERIES

SAND WHISPER SERIES

STONEHOLD SERIES

MARBLE ART SERIES

MARBLE ART 2.0 SERIES

TRAVERTINE VEINCUT SERIES

TRAVERTINE CROSSCUT SERIES

CEMENT SERIES

FRENCH STONE SERIES

PORTLAND VEINCUT SERIES

PORTLAND CROSSCUT SERIES

MARVEL SERIES

EARTH COLOR SERIES

06. 25-32 PAGE
GLAZED FULL POLISH TILES

ONIX SERIES

MARBLE SERIES

MARVEL SERIES

MARBLE ONIX SERIES

DARK SNOW ONIX SERIES

LIGHT SNOW ONIX SERIES

JADE ONIX SERIES

BEIGE PEARL CARRARA SERIES

WHITE PEARL CARRARA SERIES

WINTER MARBLE SERIES

SEAMLESS CARRARA SERIES

BEIGE CRYSTAL JADE SERIES

GREY CRYSTAL JADE SERIES

TRANG TIEN SERIES

MEKONG SERIES

TRUONG SA SERIES

07. ABRASION 33-36 PAGE
POLISH GRANITE TILES

CRYSTAL POWDER SERIES

FOSILL SERIES

MULTI - PIPE SERIES

UNICOLORED SERIES

IMPERIAL SERIES

08. ABRASION 37-38 PAGE
20MM FULL BODY TILES

DD20MM SERIES

JDD20MM SERIES

13. TECHNICAL STANDARDS

Technical Specifications
& Packing List Of Tiles 49-58 PAGE

09. 39-42 PAGE
WOOD DESIGN TILES

OAK SERIES

OAK HERRINGBONE SERIES

OAK VERSAILLES SERIES

CEDAR WOOD SERIES

10. 43-44 PAGE
WALL TILES

WALL TILES SERIES

11. 45-46 PAGE
STEP TILES

STEP TILES SERIES

12. 47-48 PAGE
COURTYARD TILES

COURTYARD SERIES

Huy Hoàng

01.ABRASION
FULL BODY RUSTIC TILES

Huy Hoàng

LOREM IPSUM

PARK WAY SERIES | 300x300 | 300x600 | 600x600

FULL BODY RUSTIC TILES



PARK WAY-BIANCO	PARK WAY-LIGHT GREY	PARK WAY-GREY	PARK WAY-DARK GREY
G38025	G38048	G38028	G38029
G63025	G63048	G63028	G63029
G68025	G68048	G68028	G68029

BRUSH HAMMER SERIES | 300x300 | 300x600 | 600x600

FULL BODY RUSTIC TILES



BUSH HAMMER-BIANCO	BUSH HAMMER-BEIGE	BUSH HAMMER-LIGHT GREY	BUSH HAMMER-BROWN	BUSH HAMMER-GREY	BUSH HAMMER-DARK GREY
G38525	G38522	G38548	G38521	G38528	G38529
G63525	G63522	G63548	G63521	G38528	G38529
G68525	G68522	G68548	G68521	G38528	G38529

SALTE SERIES | 300x300 | 300x600

FULL BODY RUSTIC TILES



SLATE-BIANCO	SLATE-GREY	SLATE-DARK GREY	SLATE-BEIGE	SLATE-ORANGE	SLATE-GREY
G38625	G38628	G38629	G38622	G38624	G38638
G63425	G63428	G63429			

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
300x300	7.7	11	0.99	16	66
300x600	8.7	8	1.44	28	40
600x600	8.7	4	1.44	28	40

FULL BODY RUSTIC TILES

TERRAZZO STONE SERIES | 300x600 | 600x600

FULL BODY RUSTIC TILES



TERRAZZO STONE-BEIGE	TERRAZZO STONE-BIANCO	TERRAZZO STONE-LIGHT GREY	TERRAZZO STONE-BLACK
G63F32	G63F35	G63F37	G63F34
G68F32	G68F35	G68F37	G68F34

UNI STONE SERIES | 300x600

FULL BODY RUSTIC TILES



UNI STONE-GREY	UNI STONE-BLACK
G63128	G63129

LAVA SERIES | 300x600

FULL BODY RUSTIC TILES



LAVA-GREY	LAVA-BLACK
G63228	G63229



BUSH HAMMER- G63525-G63548



SLATE-G63425-G63429



SLATE- G68025-G68028

AMBASSADOR SERIES | 300x300

FULL BODY RUSTIC TILES



AMBASSADOR-IVORY
G38A13



AMBASSADOR-PINK
G38A14



AMBASSADOR-GREY
G38A18



AMBASSADOR-BLACK
G38A19

GRANITE 3.0 SERIES | 300x600 | 600x600 | 600x1200

FULL BODY RUSTIC TILES



GRANITE 3.0-LIGHT GREY
G63503M
G68503M
G12503M



GRANITE 3.0-WHITE
G63505M
G68505M
G12505M



GRANITE 3.0-YELLOW
G63506M
G68506M
G12506M



GRANITE 3.0-DARK GREY
G63508M
G68508M
G12508M



GRANITE 3.0-BLACK
G63509M
G68509M
G12509M



GRANITE 3.0- G63508M

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
300x300	7.7	11	0.99	16	66
300x600	8.7	8	1.44	28	40
600x600	8.7	4	1.44	28	40
600x1200	9.8	2	1.44	33	38

FULL BODY RUSTIC TILES



GRANITE 3.0- G63506M



AMBASSADOR-IVORY-G38A13

Huy Hoàng





ANTISLIP TILES

ADORIA SERIES | 300X300

GLAZED PORCELAIN TILES


ADORIA-BROWN
G38931ND


CERIFOS-BEIGE
G38932ND


ADORIA-ORANGE
G38933ND


ADORIA-LIGHT BROWN
G38934ND


ADORIA-DARK GREY
G38939ND

CERIFOS SERIES | 300X300

GLAZED PORCELAIN TILES


CERIFOS-IVORY
G38910ND


CERIFOS-BEIGE
G38912ND


CERIFOS-BROWN
G38913ND


CERIFOS-YELLOW
G38916ND


CERIFOS-GREY
G38918ND


CERIFOS-BLACK
G38919ND

ANTISLIP TILES

FIUMI SERIES | 300x300

GLAZED PORCELAIN TILES


FIUMI-LIGHT GREY
G38731ND


FIUMI-BEIGE
G38732ND


FIUMI-BLACK
G38733ND


FIUMI-WHITE
G38734ND

LILIYA SERIES | 300x300 | MANY FACES

GLAZED PORCELAIN TILES


LILIYA-WHITE
G38225


LILIYA-OLIVE GREY
G38248


LILIYA-GREY
G38228


LILIYA-BLACK
G38229

ANTI SLIP SERIES | 300x300

GLAZED PORCELAIN TILES


ANTI SLIP-WHITE
G38925ND


ANTI SLIP-GREY
G38928ND

LAVE SERIES | 300x600 | MANY FACES

GLAZED PORCELAIN TILES


LAVA-GREY
G63228ND


LAVA-BLACK
G63229ND

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
300x600	8.7	8	1.44	28	40
600x600	8.7	4	1.44	28	40

Huy Hoang

02.ABRASION
FULL BODY PRITING TILES

Huy Hoàng



TRANSFORM SERIES | 300x600 | 600x600 | MANY FACES

FULL BODY PRINTING TILES



TRANSFORM-BEIGE
G63763J
G68763J

TRANSFORM-DARK GREY
G63764J
G68764J

TRANSFORM-GREY
G63768J
G68768J

TRANSFORM-BLACK
G63769J
G68769J

NATURE SERIES | 300x300 | 600x600 | MANY FACES

FULL BODY PRINTING TILES



NATURE-GREY
G63818J
G68818J

NATURE- DARK GREY
G63819J
G68819J

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
300x600	8.7	8	1.44	28	40
600x600	8.7	4	1.44	28	40
900x900	9.8	2	1.62	35	40
600x1200	9.8	2	1.44	33	38

FULL BODY PRINTING TILES

PRAISE SERIES | 300x600 | 600x600 | MANY FACES

FULL BODY PRINTING TILES



PRAISE-BEIGE
G6373M2J
G6873M2J

PRAISE-LIGHT GREY
G6377M2J
G6877M2J

PRAISE-DARK GREY
G6378M2J
G6878M2J

MIX STONE SERIES | 600x600 | 900x900 | 600x1200 | MANY FACES

FULL BODY PRINTING TILES



MIX STONE-BEIGE
G68M15J
G98M15J

MIX STONE-DARK GREY
G68M18J
G98M18J

MIX STONE-LIGHT GREY
G68M19J
G98M19J



MIX STONE-BEIGE
G12M15J

MIX STONE-DARK GREY
G12M18J

MIX STONE-LIGHT GREY
G12M19J

BASALT ROCK SERIES | 300x600 | MANY FACES

FULL BODY PRINTING TILES



BASALT ROCK - CHOCOLATE
G63771J

BASALT ROCK - BEIGE
G63773J

BASALT ROCK - OLIVE GREY
G63777J

BASALT ROCK - GREY
G63778J

BASALT ROCK - BLACK
G63779J

Huy Hoàng





03. ABRASION
HOVE TILES



DOUBLE LOADING NATURAL TILES &
FULL BODY RUSTIC TILES

HOVE SERIES | 300x300 | 400x400 | 600x600 | 800x800 |

DOUBLE LOADING NATURAL & FULL BODY RUSTIC TILES



HOVE-PINK
G39033M



HOVE-GREEN
G39042M



HOVE-DARK GREY
G39009M



HOVE-BEIGE
G49034
G68034
G88034



HOVE-YELLOW
G49005
G68005
G88005



HOVE-BEIGE
G88004



PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
300x300	7.7	11	0.99	16	66
400x400	7.7	8	1.28	21	64
600x600	8.7	4	1.44	28	40
800x800	9.8	3	1.92	42	30

04.
GLAZED PORCELAIN & GLAZED FULL POLISH TILES

SUPPER WHITE SERIES | 300x600 | 600x600 | 800x800 | 900x900 | 600x1200

GLAZED PORCELAIN & GLAZED FULL POLISH TILES

SUPPER WHITE
GP12035
GP98035
GP88035

SUPPER WHITE
G63035
G68035
GP63035
GP68035
GP63000
GP68000

GLAZED PORCELAIN & GLAZED FULL POLISH TILES

SUPPER BLACK SERIES | 300x600 | 600x600

GLAZED PORCELAIN & GLAZED FULL POLISH TILES



SUPPER BLACK
G63039
G68039
GP63039
GP68039



KIMBERLITE SERIES | 300x600 | 600x600 | 600x1200

GLAZED PORCELAIN & GLAZED FULL POLISH TILES



KIMBERLITE-BEIGE
G63845J
G68845J



KIMBERLITE-BEIGE
G12845J



KIMBERLITE-GREY
G63848J
G68848J



KIMBERLITE-GREY
G12848J

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
300x600	8.7	8	1.44	28	40
600x600	8.7	4	1.44	28	40
800x800	9.8	3	1.92	42	30
900x900	9.8	2	1.62	35	40
600x1200	9.8	2	1.44	33	38

Huy Hoàng





05. GLAZED PORCELAIN TILES

TRANG AN SERIES | 300x600 | MANY FACES

GLAZED PORCELAIN TILES



TRANG AN-LIGHT GREY
G63220J



TRANG AN-LIGHT GREY
G63224J



TRANG AN-DARK GREY
G63227J

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
300x300	7.7	11	0.99	16	66
300x600	8.7	8	1.44	28	40

GLAZED PORCELAIN TILES

SAND STONE SERIES | 300x300 | MANY FACES

GLAZED PORCELAIN TILES



SAND STONE-CREAM
G38Q12JF



SAND STONE-GREY
G38Q14JF



SAND STONE-NEO
G38Q16JF



SAND STONE-BROWN
G38Q18JF



SAND STONE-DARK GREY
G38Q19JF

BASALT SERIES | 300x300 | MANY FACES

GLAZED PORCELAIN TILES



BASALT-CREAM
G38Q02JF



BASALT-BEIGE
G38Q03JF



BASALT-LIGHT GREY
G38Q07JF



BASALT-DARK GREY
G38Q08JF

SAND WHISPER SERIES | 300x300 | MANY FACES

GLAZED PORCELAIN TILES



SAND WHISPER-BEIGE
G38Q33JF



SAND WHISPER- LIGHT GREY
G38Q37JF



SAND WHISPER-DARK GREY
G38Q38JF

STONEHOLD SERIES | 300x300 | MANY FACES

GLAZED PORCELAIN TILES



STONEHOLD-LIGHT GREY
G38Q28JF



STONEHOLD-DARK GREY
G38Q29JF

Huy Hoang

MARBLE ART SERIES | 300x300 | 300x600

GLAZED PORCELAIN TILES



MARBLE ART-LIGHT GREY
G63915
G68915

MARBLE ART-DARK GREY
G63918
G68918

MARBLE ART 2.0 SERIES | 300x300 | 300x600

GLAZED PORCELAIN TILES



MARBLE ART 2.0-OFF WHITE
G63L01JF
G68L01JF

MARBLE ART 2.0-COOL GREY
G63L08JF
G68L08JF

MARBLE ART 2.0-BASALT
G63L09JF
G68L09JF

TRAVERTINE VEINCUT SERIES | 600x1200 | MANY FACES

GLAZED PORCELAIN TILES



TRAVERTINE VEINCUT-LIGHT GREY
G12321J



TRAVERTINE VEINCUT-LIGHT BEIGE
G12323J

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
300x600	8.7	8	1.44	28	40
600x600	8.7	4	1.44	28	40
800x800	9.8	3	1.92	42	30
600x1200	9.8	2	1.44	33	38

GLAZED PORCELAIN TILES

TRAVERTINE CROSSCUT SERIES | 600x1200 | MANY FACES

GLAZED PORCELAIN TILES



TRAVERTINE CROSSCUT-LIGHT GREY
G12821J

TRAVERTINE CROSS-LIGHT GREY
G12823J

CEMENT SERIES | 300x600 | 600x600 | 800x800 | 600x1200 | MANY FACES

GLAZED PORCELAIN TILES



CEMENT-BIANCO
G63P22JM
G68P22JM
G88P22JM

CEMENT-BEIGE
G63P23JM
G68P23JM
G88P23JM

CEMENT-LIGHT GREY
G63P27JM
G68P27JM
G88P27JM

CEMENT-DARK GREY
G63P28JM
G68P28JM
G88P28JM



CEMENT-BIANCO
G12P22JM

CEMENT-BEIGE
G12P23JM

CEMENT-LIGHT GREY
G12P27JM

CEMENT-DARK GREY
G12P28JM

Huy Hoàng



FRENCH STONE SERIES | 300x600 | 600x600 | 800x800 | 600x1200 | MANY FACES

GLAZED PORCELAIN TILES



FRENCH STONE-BIANCO
G63P32JM
G68P32JM
G88P32JM

FRENCH STONE-CREAM GREY
G63P33JM
G68P33JM
G88P33JM

FRENCH STONE-LIGHT GREY
G63P38JM
G68P38JM
G88P38JM

FRENCH STONE -DARK GREY
G63P39JM
G68P39JM
G88P39JM



FRENCH STONE-BIANCO
G12P32JM

FRENCH STONE-CREAM GREY
G12P33JM

FRENCH STONE-LIGHT GREY
G12P38JM

FRENCH STONE -DARK GREY
G12P39JM

GLAZED PORCELAIN TILES

PORTLAND VEINCUT SERIES | 300x600 | 600x600 | 800x800 | 600x1200 | MANY FACES

GLAZED PORCELAIN TILES



PORTLAND VEINCUT-BIANCO
G63P02JW
G68P02JW
G88P02JW

PORTLAND VEINCUT-BEIGE
G63P03JW
G68P03JW
G88P03JW

PORTLAND VEINCUT-LIGHT GREY
G63P07JW
G68P07JW
G88P07JW

PORTLAND VEINCUT-DARK GREY
G63P08JM
G68P08JM
G88P08JM

PORTLAND VEINCUT-BIANCO
G12P02JW

PORTLAND VEINCUT-BEIGE
G12P03JW

PORTLAND VEINCUT-LIGHT GREY
G12P07JW

PORTLAND VEINCUT-DARK GREY
G12P08JM



PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
300x600	8.7	8	1.44	28	40
600x600	8.7	4	1.44	28	40
800x800	9.8	3	1.92	42	30
600x1200	9.8	2	1.44	33	38

Huy Hoàng

PORTLAND VEINCUT SERIES | 300x600 | 600x600 | 800x800 | 600x1200 | MANY FACES

GLAZED PORCELAIN TILES




PORTLAND CROSSCUT-BIANCO
G63P12JW
G68P12JW
G88P12JW




PORTLAND CROSSCUT-BEIGE
G63P13JW
G68P13JW
G88P13JW




PORTLAND CROSSCUT-LIGHT GREY
G63P17JW
G68P17JW
G88P17JW




PORTLAND CROSSCUT-DARK GREY
G63P18JM
G68P18JM
G88P18JM



PORTLAND CROSSCUT-BIANCO
G12P12JW



PORTLAND CROSSCUT-BEIGE
G12P13JW



PORTLAND CROSSCUT-LIGHT GREY
G12P17JW



PORTLAND CROSSCUT-DARK GREY
G12P18JM



SNOW WHITE-G12L10JW-CA

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
300x600	8.7	8	1.44	28	40
600x600	8.7	4	1.44	28	40
800x800	9.8	3	1.92	42	30
600x1200	9.8	2	1.44	33	38

GLAZED PORCELAIN TILES

MARVEL SERIES | 800x800 | 600x1200 | MANY FACES

GLAZED PORCELAIN TILES



SNOW WHITE
G88L10JW-CA



DEMICIA
G88L16JW-CA



RAMINA GREY
G88L18JW-CA



CANTON
G88L23JW-CA



CARDIFF
G88L26JW-CA



MISTY BIANCO
G88L33JW-CA



MISTY GREY
G88L34JW-CA



SNOW WHITE
G12L10JW-CA



DEMICIA
G12L16JW-CA



RAMINA GREY
G12L18JW-CA



CANTON
G12L23JW-CA



CARDIFF
G12L26JW-CA



MISTY BIANCO
G12L33JW-CA



MISTY GREY
G12L34JW-CA

Huy Hoàng

EARTH COLOR SERIES | 300x300 | 800x800 | 600x1200 | MANY FACES

GLAZED PORCELAIN TILES



EARTH COLOR CREAM
G38L40JF



EARTH COLOR OCHRE
G38L43JDF



EARTH COLOR OLIVE
G38L44JDF



EARTH COLOR NAVAL
G38L47JDF



EARTH COLOR CREAM
G88L40JW-SD



EARTH COLOR OAT
G88L42JW-SD



EARTH COLOR CREAM
G12L40JW-SD



EARTH COLOR TERRACOTTA
G12L41JW-SD



EARTH COLOR OAT
G12L42JW-SD



G12L43JW-SD



EARTH COLOR OLIVE
G12L44JW-SD



EARTH COLOR NAVAL
G12L47JW-SD

GLAZED PORCELAIN TILES



EARTH COLOR OCHRE-G12L43JW-SD



EARTH COLOR OLIVE-G12L44JW-SD



EARTH COLOR OLIVE-G38L47JDF



EARTH COLOR CREAM-G12L40JW-SD

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
300x300	7.7	11	0.99	16	66
800x800	9.8	3	1.92	42	30
600x1200	9.8	2	1.44	33	38

Huy Hoàng

06.
GLAZED FULL POLISH TILES


INVISIBLE-WHITE-GP12L55JW


SALT ROCK-DARK GREY-GP88L54JW

GLAZED FULL POLISH TILES

ONIX SERIES | 800x800 | 600x1200 | MANY FACES

GLAZED FULL POLISH TILES


LANDING
GP88L50JW


SALT ROCK-BIANCO
GP88L53JW


SALT ROCK-BEIGE
GP88L56JW


SALT ROCK-DARK GREY
GP88L54JW


LANDING
GP12L50JW


SALT ROCK-BIANCO
GP12L53JW


SALT ROCK-BEIGE
GP12L56JW


SALT ROCK-DARK GREY
GP12L54JW

MARBLE SERIES | 800x800 | 600x1200 | MANY FACES

GLAZED FULL POLISH TILES


CALACATTA GOLD
GP88L52JW


INVISIBLE-WHITE
GP88L55JW


INVISIBLE-GREY
GP88L58JW


CALACATTA GOLD
GP12L52JW


INVISIBLE-WHITE
GP12L55JW


INVISIBLE-GREY
GP12L58JW

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
800x800	9.8	3	1.92	42	30
600x1200	9.8	2	1.44	33	38

MARVEL SERIES | 800x800 | 600x1200 | MANY FACES

GLAZED FULL POLISH TILES



EMILY
GP88L05JW



TRUFFLE
GP88L06JW



SNOW WHITE
GP88L10JW



CARDIFF
GP88L26JW



EMILY
GP12L05JW



TRUFFLE
GP12L06JW



SNOW WHITE
GP12L10JW



CARDIFF
GP12L26JW



TRUFFLE-GP12L06JW



SNOW WHITE-GP12L10JW

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
800x800	9.8	3	1.92	42	30
900x900	9.8	2	1.62	35	40
600x1200	9.8	2	1.44	33	38

GLAZED FULL POLISH TILES

MARBLE ONIX SERIES | 800x800 | 900x900 | 600x1200 | MANY FACES

GLAZED FULL POLISH TILES



MARBLE ONIX
GP88117J
GP98117J



MARBLE ONIX
GP12117J



MARBLE ONIX-GP88117J

DARK SNOW ONIX SERIES | 900x900 | 1000x1000 | 600x1200 | MANY FACES

GLAZED FULL POLISH TILES



DARK SNOW ONIX
GP98732J
GP10732J



DARK SNOW ONIX
GP12732J



DARK SNOW ONIX
GP12730J



DARK SNOW ONIX-GP98732J

Huy Hoàng

LIGHT SNOW ONIX SERIES | 600x1200 | MANY FACES

GLAZED FULL POLISH TILES



LIGHT SNOW ONIX
GP12735J



JADE ONIX SERIES | 600x1200 | MANY FACES

GLAZED FULL POLISH TILES



JADE ONIX
GP12738J



BEIGE PEARL CARRARA SERIES | 600x1200 | MANY FACES

GLAZED FULL POLISH TILES



BEIGE PEARL CARRARA
GP12742J



WHITE PEARL CARRARA SERIES | 600x1200 | MANY FACES

GLAZED FULL POLISH TILES



WHITE PEARL CARRARAONIX
GP12745J



WINTER MARBLE SERIES | 600x1200 | MANY FACES

GLAZED FULL POLISH TILES



WINTER MARBLE
GP12725J



PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
600x1200	9.8	2	1.44	33	38

Huy Hoàng

SEAMLESS CARRARA SERIES | 600x1200 | MANY FACES

GLAZED FULL POLISH TILES



SEAMLESS CARRARA
GP12742J



BEIGE CRYSTAL JADE SERIES | 600x1200 | MANY FACES

GLAZED FULL POLISH TILES



BEIGE CRYSTAL JADE
GP12402J

GREY CRYSTAL JADE SERIES | 600x1200 | MANY FACES

GLAZED FULL POLISH TILES



GREY CRYSTAL JADE
GP12407J

GLAZED FULL POLISH TILES





PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
600x1200	9.8	2	1.44	33	38

Huy Hoàng

TRANG TIEN SERIES | 600x600 | 800x800 | MANY FACES

GLAZED FULL POLISH TILES



BULGARIAN GREY
GP68237J
GP88237J



EARL GREY
GP68258J
GP88258J



EARL DARK GREY
GP68259J
GP88259J



GREEK LIGHT GREY
GP68264J
GP68264J



GREEK GREY
GP68268J
GP88268J



EARL GREY-GP88258J

MEKONG SERIES | 300x600 | 600x600 | 800x800 | 900x900 | 600x1200 | MANY FACES

GLAZED FULL POLISH TILES



MEKONG
GP63085



MEKONG
GP68085
GP88085
GP98085



MEKONG
GP12085

TRUONG SA SERIES | 800x800 | 600x1200 | MANY FACES

GLAZED FULL POLISH TILES



TRUONG SA-GP88022J



TRUONG SA
GP12022J



TRUONG SA
GP88022J

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
300x600	8.7	8	1.44	28	40
600x600	8.7	4	1.44	28	40
800x800	9.8	3	1.92	42	30
900x900	9.8	2	1.62	35	40
600x1200	9.8	2	1.44	33	38

Huy Hoàng



IMPERIAL-P87862N

07. ABRASION
POLISH GRANITE TILES



UNICOLORED-P87625N

POLISH GRANITE TILES

CRYSTAL POWDER SERIES | 600x600 | 800x800
POLISH GRANITE TILES



CRYSTAL POWDER
P67702N
P87702N

MULTI - PIPE SERIES | 600x600 | 800x800
POLISH GRANITE TILES



MULTI - PIPE
P67542N
P87542N

FOSSIL SERIES | 600x600 | 800x800
POLISH GRANITE TILES



FOSSIL
P67202N
P87202N

UNICOLORED SERIES | 600x600 | 800x800
POLISH GRANITE TILES



UNICOLORED
P67625N
P87625N

IMPERIAL SERIES | 600x600 | 800x800
POLISH GRANITE TILES



IMPERIAL
P67862N
P87862N



IMPERIAL
P67762N



IMPERIAL
P67842N

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
600x600	8.7	4	1.44	28	40
800x800	9.8	3	1.92	42	30

Huy Hoàng



08. ABRASION
20MM FULL BODY TILES



20MM FULL BODY TILES

DD20MM SERIES | 600x600 | 800x800

FULL BODY RUSTIC TILES & ANTI SLIP



DD20MM
G63528DD
G68528DD

DD20MM
G63529DD
G68529DD

JDD20MM SERIES | 600x1200

FULL BODY RUSTIC TILES & ANTI SLIP



JDD20MM
G12528JDD

JDD20MM
G12529JDD

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
300x600	8.7	8	1.44	28	40
600x600	8.7	4	1.44	28	40
600x1200	9.8	2	1.44	33	38

Huy Hoàng



09.

WOOD DESIGN

WOOD DESIGN TILES

OAK SERIES | 600x1200 | MANY FACES

GLAZED PORCELAIN TILES - CARVING



SABBIA
G12L32JF-CA



GRANO
G12L02JF-CA



TABACCO
G12L03JF-CA



CASTANO
G12L04JF-CA

OAK HERRINGBONE SERIES | 600x1200

GLAZED PORCELAIN TILES - CARVING



HERRINGBONE LIGHT BROWN
G12L22JF-CA



HERRINGBONE DARK BROWN
G12L24JF-CA

OAK HERRINGBONE SERIES | 600x600

GLAZED PORCELAIN TILES - CARVING



VERSAILLES LIGHT BROWN
G68L23JF-CA



VERSAILLES DARK BROWN
G68L21JF-CA

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
600x600	8.7	4	1.44	28	40
600x1200	9.8	2	1.44	33	38

Huy Hoang


HERRINGBONE DARK BROWN-G12L24JF-CA


VERSAILLES DARK BROWN-G68L21JF-CA


SABBIA-G12L32JF-CA

WOOD DESIGN TILES

CEDAR WOOD SERIES | 600x148 | 900x150 | 200x1200 | MANY FACES

GLAZED PORCELAIN TILES


CEDAR WOOD
GC600X148-923


CEDAR WOOD
GC600X148-921


CEDAR WOOD
GC900X150-926


CEDAR WOOD
GC900X150-927


CEDAR WOOD
GC200X1200-921


CEDAR WOOD
GC200X1200-923

Huy Hoang

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
200x1200	9.8	6	1.44	35	45

10. WALL TILES



ROYAL BEIGE-GP63033J

WALL TILES

WALL TILES SERIES | 300x600 | MANY FACES

GLAZED FULL POLISH TILES



ROYAL BEIGE

GP63033J



PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
300x600	8.7	8	1.44	28	40

Huy Hoàng


STEP CREAM-GL38Q33JF

11. STEP TILES


STEP LIGHT GREY-GL38Q37JF

STEP TILES

STEP TILES SERIES | 300x300 | MANY FACES

GLAZED PORCELAIN TILES


STEP CREAM
GL38Q33JF


STEP LIGHT GREY
GL38Q37JF


STEP GREY
GL38Q38JF


STEP GREY-GL38Q38JF

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
300x300	7.7	11	0.99	16	66

Huy Hoàng



COURTYARD TILES

STEP TILES SERIES | 300x300 | MANY FACES

GLAZED PORCELAIN TILES



COBBLE-BEIGE
G38C53JF



COBBLE -BROWN
G38C56JF



COBBLE -GREY
G38C58JF

12.COURTYARD TILES





POBBLE-BEIGE
G38C63JF



POBBLE -BROWN
G38C66JF



POBBLE -GREY
G38C68JF

PACKING DETAILS

Size (mm)	Thickness (mm)	pieces/box	m2/box	kgs/box	boxes/pallet
300x300	7.7	11	0.99	16	66

Hữu Hoàng

13. Technical standards

QUALITY STANDARDS FOR RECTIFIED GLAZED PORCELAIN TILES (GROUP BIA, EV ≤ 0.5%)
TIÊU CHUẨN KIỂM NGHIỆM GẠCH THẠCH ANH CÓ MEN HIỆU CHỈNH (Nhóm Bla Ev ≤ 0.5%)

ITEM (theo PP ISO10545) Hạng mục		ISO13006:2018		TCVN 13113:2020 (QCVN16:2023/BXD)		TAICERA
DIMENSION Kích thước		±0.6%	±2.0mm	±0.6%	±2.0mm	±0.6%
RECTANGULARITY Vuông góc (Đường chéo)		±0.5%	±2.0mm	±0.5%	±2.0mm	±0.4%↓
THICKNESS Độ dày		±5%	±0.5mm	±5%	±0.5mm	±5%↓
STRAIGHTNESS OF SIDES thẳng cạnh		±0.5%	±1.5mm	±0.5%	±1.5mm	±0.3%↓
EDGE CURVATURE Cong trung tâm		±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
EDGE CURVATURE Cong mép		±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
WARPAGE Vênh góc		±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
WATER ABSORPTION Hút nước		Ev ≤ 0.5%		Ev ≤ 0.5%		Ev ≤ 0.3%
BREAKING STRENGTH Độ cứng		≥1300N		≥1300N		≥1400N
MODULUS OF RUPTURE Bền uốn		≥ 35N/mm^2		≥ 35N/mm^2		≥ 36N/mm^2
ABRSION RESISTANCE Mài mòn		Báo cáo theo số vòng đạt được Report to the number of cycles passed		Báo cáo theo số vòng đạt được Report to the number of cycles passed		III
GLOSSY Độ bóng	Matt nhám	NO REQUIRED Không yêu cầu		NO REQUIRED Không yêu cầu		10±5
	Matt thường					20±5
	Matt siêu mịn (Baby Skin)					25±5
Houseold Chemical and Salts Resistance Chống hóa chất dân dụng và nước muối		Min class B		Min class B		Min class GB
Acid and Alkalis Resistance Chống axít và kiềm		NO REQUIRED Không yêu cầu		NO REQUIRED Không yêu cầu		Min class GHB
CRAZING RESISTANCE Độ bền rạn men		NO CRAZING Không rạn		NO CRAZING Không rạn		NO CRAZING Không rạn
MOISTURE EXPANSION, mm/m(%) Độ giản nở ẩm, mm/m(%)		Theo phương pháp thử DEPEND ON TEST METHOD		Theo phương pháp thử DEPEND ON TEST METHOD		≤ 0.6
LINEAR THERMAL EXPANSION, 10^{-6} Hệ số giãn dài nhiệt, 10^{-6}		Theo phương pháp thử DEPEND ON TEST METHOD		Theo phương pháp thử DEPEND ON TEST METHOD		≤ 9
RESISTANCE TO STAINING Chống vết bẩn		Min class 3		Min class 3		Min class 3

Huy Hoàng

QUALITY STANDARDS FOR RECTIFIED UNGLAZED PORCELAIN TILES – POLISHED SURFACE (GROUP BIA, EV ≤ 0.5%)
TIÊU CHUẨN KIỂM NGHIỆM GẠCH THẠCH ANH KHÔNG MEN HIỆU CHỈNH (Mài bóng xươnng)
(Nhóm Bla Ev ≤ 0.5%)

ITEM (theo PP ISO10545) Hạng mục	ISO13006:2018		TCVN 13113:2020 (QCVN16:2023/BXD)		TAICERA
DIMENSION Kích thước	±0.6%	±2.0mm	±0.6%	±2.0mm	±0.2%↓
RECTANGULARITY Đường chéo	±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
THICKNESS Độ dày	±5%	±0.5mm	±5%	±0.5mm	±5%↓
STRAIGHTNESS OF SIDES Thẳng cạnh	±0.5%	±1.5mm	±0.5%	±1.5mm	±0.3%↓
CENTER CURVATURE Phẳng mặt(Cong trung tâm)	±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
EDGE CURVATURE Cong mép	±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
GLOSSY Độ bóng	NO REQUIRED Không yêu cầu		NO REQUIRED Không yêu cầu		>85
WATER ABSORPTION Hút nước	Ev ≤ 0.5%		Ev ≤ 0.5%		Ev ≤ 0.2%
BREAKING STRENGTH Độ cứng	≥1300N		≥1300N		≥1400N
MODULUS OF RUPTURE Bền uốn	≥ 35N/mm^2		≥ 35N/mm^2		≥ 36N/mm^2
ABRSION RESISTANCE Chống mòn Mài mòn	Max175mm^3		Max175mm^3		Max125mm^3
Houseold Chemical and Salts Resistance Chống hóa chất dân dụng và nước muối	Min class UB		Min class UB		Min UB
Acid and Alkalis Resistance Chống axít và kiềm	NO REQUIRED Không yêu cầu		NO REQUIRED Không yêu cầu		Min UHB
MOISTURE EXPANSION, mm/m(%) Độ giản nở ẩm, mm/m(%)	Theo phương pháp thử DEPEND ON TEST METHOD		Theo phương pháp thử DEPEND ON TEST METHOD		≤ 0.6
LINEAR THERMAL EXPANSION, 10^{-6} Hệ số giãn dài nhiệt, 10^{-6}	Theo phương pháp thử DEPEND ON TEST METHOD		Theo phương pháp thử DEPEND ON TEST METHOD		≤ 9
RESISTANCE TO STAINING Chống vết bẩn	Theo phương pháp thử DEPEND ON TEST METHOD		Theo phương pháp thử DEPEND ON TEST METHOD		Min class 3

QUALITY STANDARDS FOR NON-RECTIFIED GLAZED PORCELAIN TILES (GROUP BIA, EV ≤ 0.5%)
TIÊU CHUẨN KIỂM NGHIỆM GẠCH THẠCH ANH CÓ MEN KHÔNG HIỆU CHỈNH
(Nhóm Bla Ev ≤ 0.5%)

ITEM (theo PP ISO10545) Hạng mục		ISO13006:2018		TCVN 13113:2020 (QCVN16:2023/BXD)		TAICERA
DIMENSION Kích thước		±0.6%	±2.0mm	±0.6%	±2.0mm	±0.6%
RECTANGULARITY Vuông góc (Đường chéo)		±0.5%	±2.0mm	±0.5%	±2.0mm	±0.4%↓
THICKNESS Độ dày		±5%	±0.5mm	±5%	±0.5mm	±5%↓
STRAIGHTNESS OF SIDES Thẳng cạnh		±0.5%	±1.5mm	±0.5%	±1.5mm	±0.3%↓
EDGE CURVATURE Cong trung tâm		±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
EDGE CURVATURE Cong mép		±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
WARPAGE Vênh góc		±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
WATER ABSORPTION Hút nước		Ev ≤ 0.5%		Ev ≤ 0.5%		Ev ≤ 0.3%
BREAKING STRENGTH Độ cứng		≥1300N		≥1300N		≥1400N
MODULUS OF RUPTURE Bền uốn		≥ 35N/mm^2		≥ 35N/mm^2		≥ 36N/mm^2
ABRSION RESISTANCE Mài mòn		Báo cáo theo số vòng đạt được Report to the number of cycles passed		Báo cáo theo số vòng đạt được Report to the number of cycles passed		III
GLOSSY Độ bóng	Matt Mờ	NO REQUIRED Không yêu cầu		NO REQUIRED Không yêu cầu		15±5
	Glossy Bóng					25±5
Houseold Chemical and Salts Resistance Chống hóa chất dân dụng và nước muối		Min class B		Min class B		Min class GB
Acid and Alkalis Resistance Chống axít và kiềm		NO REQUIRED Không yêu cầu		NO REQUIRED Không yêu cầu		Min class GHB
CRAZING RESISTANCE Độ bền rạn men		NO CRAZING Không rạn		NO CRAZING Không rạn		NO CRAZING Không rạn
MOISTURE EXPANSION, mm/m(%) Độ giản nở ẩm, mm/m(%)		Theo phương pháp thử DEPEND ON TEST METHOD		Theo phương pháp thử DEPEND ON TEST METHOD		≤ 0.6
LINEAR THERMAL EXPANSION, 10^{-6} Hệ số giãn dài nhiệt, 10^{-6}		Theo phương pháp thử DEPEND ON TEST METHOD		Theo phương pháp thử DEPEND ON TEST METHOD		≤ 9
RESISTANCE TO STAINING Chống vết bẩn		Min class 3		Min class 3		Min class 3

QUALITY STANDARDS FOR RECTIFIED CERAMIC TILES (GROUP BIII, EV > 10%)
TIÊU CHUẨN KIỂM NGHIỆM GẠCH MEN HIỆU CHỈNH
(Nhóm BIII Ev >10%)

ITEM (theo PP ISO10545) Hạng mục	ISO13006:2018		TCVN 13113:2020 (QCVN16:2023/BXD)		TAICERA
DIMENSION Kích thước	±0.6%	±2.0mm	±0.5%	±2.0mm	±0.5%
RECTANGULARITY Độ vuông góc	±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
THICKNESS Độ dày	±10%	±0.5mm	±10%	±0.5mm	±10%↓
STRAIGHTNESS OF SIDES Thẳng cạnh	± 0.3%	±1.5mm	± 0.3%	±1.5mm	±0.3%↓
CENTER CURVATURE Cong trung tâm	±0.5%	+2.0mm -1.5mm	±0.5%	+2.0mm -1.5mm	+ 0.5%↓ - 0.3%↓
EDGE CURVATURE Cong mép	±0.5%	+2.0mm -1.5mm	±0.5%	+2.0mm -1.5mm	+ 0.5%↓ - 0.3%↓
WARPAGE Vênh góc	±0.5%	±2.0mm	±0.5%	±2.0mm	±0.5%↓
WATER ABSORPTION Hút nước	Ev >10%		Ev >10%		10%<Ev<18%
BREAKING STRENGTH Độ cứng	≥ 600N		NO REQUIRED Không yêu cầu		≥ 600N
MODULUS OF RUPTURE Bền uốn	≥ 12N/mm^2		≥ 12N/mm^2		≥ 16N/mm^2
ABRSION RESISTANCE Chống mòn	I, II, III, IV		I, II, III, IV		II
Houseold Chemical and Salts Resistance Chống hóa chất dân dụng và nước muối	Min class GB		Min class GB		Min class GB
Acid and Alkalis Resistance Chống axít và kiềm	NO REQUIRED Không yêu cầu		NO REQUIRED Không yêu cầu		Min class GHB
CRAZING RESISTANCE Độ bền rạn men	NO CRAZING Không rạn		NO CRAZING Không rạn		NO CRAZING Không rạn
MOISTURE EXPANSION, mm/m(%) Độ giản nở ẩm, mm/m(%)	≤ 0.6		≤ 0.6		≤ 0.6
LINEAR THERMAL EXPANSION, 10^{-6} Hệ số giãn dài nhiệt, 10^{-6}	NO REQUIRED Không yêu cầu		≤ 9		≤ 9
RESISTANCE TO STAINING Chống vết bẩn	Min class 3		Min class 3		Min class 3

QUALITY STANDARDS FOR RECTIFIED POLISHED GLAZED PORCELAIN TILES (GROUP BIA, EV ≤ 0.5%)
TIÊU CHUẨN KIỂM NGHIỆM GẠCH THẠCH ANH MÀI BÓNG MEN HIỆU CHỈNH
(mài bóng men)
(Nhóm BIa Ev ≤ 0.5%)

ITEM (theo PP ISO10545) Hạng mục	ISO13006:2018		TCVN 13113:2020 (QCVN16:2023/BXD)		TAICERA
DIMENSION Kích thước	±0.6%	±2.0mm	±0.6%	±2.0mm	±0.3%
Mohs	±0.5%	±2.0mm	±0.5%	±2.0mm	≥ 5
RECTANGULARITY Đường chéo	±5%	±0.5mm	±5%	±0.5mm	±0.3%↓
THICKNESS Độ dày	±0.5%	±1.5mm	±0.5%	±1.5mm	±5%↓
STRAIGHTNESS OF SIDES Thẳng cạnh	±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
CENTER CURVATURE Phẳng mặt(Cong trung tâm)	±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
EDGE CURVATURE Cong mép	±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
WARPAGE Vênh góc	±0.6%	±2.0mm	±0.6%	±2.0mm	±0.3%↓
GLOSSY Độ bóng	NO REQUIRED Không yêu cầu		NO REQUIRED Không yêu cầu		> 90
WATER ABSORPTION Hút nước	Ev ≤ 0.5%		Ev ≤ 0.5%		Ev ≤ 0.3%
BREAKING STRENGTH Độ cứng	≥1300N		≥1300N		≥1400N
MODULUS OF RUPTURE Bền uốn	≥ 35N/mm^2		≥ 35N/mm^2		≥ 36N/mm^2
ABRSION RESISTANCE Mài mòn	I, II, III, IV		I, II, III, IV		III
Houseold Chemical and Salts Resistance Chống hóa chất dân dụng và nước muối	Min class GB		Min class GB		Min GB
Acid and Alkalis Resistance Chống axít và kiềm	NO REQUIRED Không yêu cầu		NO REQUIRED Không yêu cầu		Min GHB
MOISTURE EXPANSION, mm/m(%) Độ giản nở ẩm, mm/m(%)	Theo phương pháp thử DEPEND ON TEST METHOD		Theo phương pháp thử DEPEND ON TEST METHOD		≤ 0.6
LINEAR THERMAL EXPANSION, 10^{-6} Hệ số giãn dài nhiệt, 10^{-6}	Theo phương pháp thử DEPEND ON TEST METHOD		Theo phương pháp thử DEPEND ON TEST METHOD		≤ 9
RESISTANCE TO STAINING Chống bẩn	Theo phương pháp thử DEPEND ON TEST METHOD		Theo phương pháp thử DEPEND ON TEST METHOD		Min Class 3
CRAZING RESISTANCE Độ bền rạn men	NO CRAZING Không rạn		NO CRAZING Không rạn		NO CRAZING Không rạn

QUALITY STANDARDS FOR RECTIFIED UNGLAZED FULL BODY RUSTIC TILES
((Group Bla Ev ≤ 0.5%)
TIÊU CHUẨN KIỂM NGHIỆM GẠCH THẠCH ANH GIÃ CỔ HIỆU CHỈNH
(Nhóm Bla Ev ≤ 0.5%)

ITEM (theo PP ISO10545) Hạng mục	ISO13006:2018		TCVN 13113:2020 (QCVN16:2023/BXD)		TAICERA
DIMENSION Kích thước	±0.6%	±2.0mm	±0.6%	±2.0mm	±0.6%↓
RECTANGULARITY Đường chéo	±0.5%	±2.0mm	±0.5%	±2.0mm	±0.4%↓
THICKNESS Độ dày	±5%	±0.5mm	±5%	±0.5mm	±5%↓
STRAIGHTNESS OF SIDES Thẳng cạnh	±0.5%	±1.5mm	±0.5%	±1.5mm	±0.3%↓
CENTER CURVATURE Phẳng mặt(Cong trung tâm)	±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
EDGE CURVATURE Cong mép	±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
WARPAGE Vênh góc	±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
WATER ABSORPTION Hút nước	Ev ≤ 0.5%		Ev ≤ 0.5%		Ev ≤ 0.3%
BREAKING STRENGTH Độ cứng	≥1300N		≥1300N		≥1400N
MODULUS OF RUPTURE Bền uốn	≥ 35N/mm^2		≥ 35N/mm^2		≥ 36N/mm^2
ABRSION RESISTANCE Mài mòn	Max175mm^3		Max175mm^3		Max125mm^3
GLOSSY Độ bóng	NO REQUIRED Không yêu cầu		NO REQUIRED Không yêu cầu		3~5
Houseold Chemical and Salts Resistance Chống hóa chất dân dụng và nước muối	Min class UB		Min class UB		Min UB
	NO REQUIRED Không yêu cầu		NO REQUIRED Không yêu cầu		Min UHB
MOISTURE EXPANSION, mm/m(%) Độ giãn nở ẩm, mm/m(%)	Theo phương pháp thử DEPEND ON TEST METHOD		Theo phương pháp thử DEPEND ON TEST METHOD		≤ 0.6
LINEAR THERMAL EXPANSION, 10^{-6} Hệ số giãn dài nhiệt, 10^{-6}	Theo phương pháp thử DEPEND ON TEST METHOD		Theo phương pháp thử DEPEND ON TEST METHOD		≤ 9
RESISTANCE TO STAINING Chống bẩn	Theo phương pháp thử DEPEND ON TEST METHOD		Theo phương pháp thử DEPEND ON TEST METHOD		Min class 3

QUALITY STANDARDS FOR NON-RECTIFIED UNGLAZED FULL BODY RUSTIC TILES (GROUP Bla Ev ≤ 0.5%)
TIÊU CHUẨN KIỂM NGHIỆM GẠCH THẠCH ANH GIÃ CỔ KHÔNG HIỆU CHỈNH
(Nhóm Bla Ev ≤ 0.5%)

ITEM (theo PP ISO10545) Hạng mục	ISO13006:2018		TCVN 13113:2020 (QCVN16:2023/BXD)		TAICERA
DIMENSION Kích thước	±0.6%	±2.0mm	±0.6%	±2.0mm	±0.6%
RECTANGULARITY Vuông góc (Đường chéo)	±0.5%	±2.0mm	±0.5%	±2.0mm	±0.4%↓
THICKNESS Độ dày	±5%	±0.5mm	±5%	±0.5mm	±5%↓
STRAIGHTNESS OF SIDES Thẳng cạnh	±0.5%	±1.5mm	±0.5%	±1.5mm	±0.3%↓
EDGE CURVATURE Cong trung tâm	±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
EDGE CURVATURE Cong mép	±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
WARPAGE Vênh góc	±0.5%	±2.0mm	±0.5%	±2.0mm	±0.3%↓
WATER ABSORPTION Hút nước	Ev ≤ 0.5%		Ev ≤ 0.5%		Ev ≤ 0.1%
BREAKING STRENGTH Độ cứng	≥1300N		NO REQUIRED Không yêu cầu		≥1400N
MODULUS OF RUPTURE Bền uốn	≥ 35N/mm^2		≥ 35N/mm^2		≥ 36N/mm^2
ABRSION RESISTANCE Mài mòn sâu	Max175mm^3		Max175mm^3		Max125mm^3
GLOSSY Độ bóng	NO REQUIRED Không yêu cầu		NO REQUIRED Không yêu cầu		3~5
Houseold Chemical and Salts Resistance Chống hóa chất dân dụng và nước muối	Min class UB		Min class UB		Min UB
Acid and Alkalis Resistance Chống axít và kiềm	NO REQUIRED Không yêu cầu		NO REQUIRED Không yêu cầu		Min UHB
MOISTURE EXPANSION, mm/m(%) Độ giãn nở ẩm, mm/m(%)	Theo phương pháp thử DEPEND ON TEST METHOD		Theo phương pháp thử		≤ 0.6
LINEAR THERMAL EXPANSION, 10^{-6} Hệ số giãn dài nhiệt, 10^{-6}	Theo phương pháp thử DEPEND ON TEST METHOD		Theo phương pháp thử DEPEND ON TEST METHOD		≤ 9
RESISTANCE TO STAINING Chống bẩn	Theo phương pháp thử DEPEND ON TEST METHOD		Theo phương pháp thử DEPEND ON TEST METHOD		Min class 3

Huy Hoàng

CERTIFICATE


TỔNG CỤC TIÊU CHUẨN ĐO LƯỜNG CHẤT LƯỢNG
TRUNG TÂM KỸ THUẬT TIÊU CHUẨN ĐO LƯỜNG CHẤT LƯỢNG 3
DIRECTORATE FOR STANDARDS, METROLOGY AND QUALITY
QUALITY ASSURANCE AND TESTING CENTER 3

GIẤY CHỨNG NHẬN
CERTIFICATE
Số/No.: 07-11
(TCR01-CD-2024)

Chứng nhận sản phẩm /This is to certify that:
GẠCH GỐM ỐP LÁT ÉP BÁN KHÔ / DRY PRESSED CERAMIC TILES

Nhãn hiệu / Brand Name: TAICERA

Loại / Type: Nhóm BIa (E≤0,5%)
- Thạch anh bóng kiếng (không men), các kích thước: (298 x 298) mm; (298 x 600) mm; (300 x 600) mm; (600 x 600) mm; (398 x 800) mm; (800 x 800) mm; (300 x 1000) mm; (1000 x 1000) mm;
- Thạch anh (có men và không men), các kích thước: (148 x 148) mm; (298 x 298) mm; (300 x 300) mm; (400 x 400) mm; (148 x 600) mm; (198 x 600) mm; (298 x 600) mm; (300 x 600) mm; (600 x 600) mm; (600 x 1200) mm; (400 x 800) mm; (800 x 800) mm; (900 x 900) mm; (600 x 1200) mm; (1000 x 1000) mm.

Được sản xuất tại / Produced by:
CÔNG TY CỔ PHẦN CÔNG NGHIỆP GỐM SỨ TAICERA /
TAICERA ENTERPRISE COMPANY

Địa chỉ / Address: KCN Gò Dầu, Xã Phước Thái, Huyện Long Thành, Tỉnh Đồng Nai /
Go Dau Industrial Zone, Phuoc Thai Commune, Long Thanh District, Dong Nai Province

Phù hợp với Quy chuẩn kỹ thuật quốc gia / Comply with the National Technical Regulation:
QCVN 16:2023/BXD
VÀ ĐƯỢC PHÉP SỬ DỤNG DẤU HỢP QUY (CR)
AND APPROVED TO BEAR CR MARK

Phương thức chứng nhận / Certification scheme:
Phương thức 5 / Scheme 5
(Thông tư số 28/2012/TT-BKHCN ngày 12/12/2012 và Thông tư số 02/2017/TT-BKHCN ngày 31/03/2017 của Bộ Khoa học và Công nghệ)
(Circular No. 28/2012/TT-BKHCN dated December 12th, 2012 & Circular No. 02/2017/TT-BKHCN dated March 31st, 2017 by Ministry of Science and Technology)

Giấy chứng nhận này có giá trị từ ngày 12/6/2024 đến ngày 19/4/2026
This Certificate remains valid from June 12th, 2024 to April 19th, 2026

QCVN 16:2023/BXD 07 - 11

GIÁM ĐỐC / DIRECTOR
Nguyễn Thái Hùng

Ngày cấp chứng nhận: 12/6/2024
Date of issuance: 12/6/2024

Quality Assurance and Testing Center 3 — 49 Pasteur, District 1, Ho Chi Minh City — Tel: (84-28) 3829 4274 — Fax: (84-28) 3829 3012
Trang / Page 1/1


ỦY BAN TIÊU CHUẨN ĐO LƯỜNG CHẤT LƯỢNG QUỐC GIA
COMMISSION FOR STANDARDS, METROLOGY AND QUALITY OF VIETNAM
TRUNG TÂM KỸ THUẬT TIÊU CHUẨN ĐO LƯỜNG CHẤT LƯỢNG 3
QUALITY ASSURANCE AND TESTING CENTER 3

GIẤY CHỨNG NHẬN
CERTIFICATE
Số / No: 07-11
(TCR02-MR1-2025)

Chứng nhận sản phẩm / This is to certify that:
GẠCH GỐM ỐP LÁT ÉP BÁN KHÔ /
DRY-PRESS CERAMIC TILES

Nhãn hiệu/ Brand: TAICERA

Loại / Types: Chi tiết theo danh mục đính kèm giấy chứng nhận này /
Detail in the list attached this certificate

Được cung cấp bởi / Supplied by:
CÔNG TY CỔ PHẦN CÔNG NGHIỆP GỐM SỨ TAICERA /
TAICERA ENTERPRISE COMPANY

Địa chỉ : KCN Gò Dầu, xã Phước Thái, tỉnh Đồng Nai, Việt Nam /
Address: Go Dau Industrial Zone, Phuoc Thai Commune, Dong Nai Province, Vietnam.

Được sản xuất tại / Manufactured by: KCN Gò Dầu, xã Phước Thái, tỉnh Đồng Nai, Việt Nam/
- Go Dau Industrial Zone, Phuoc Thai Commune, Dong Nai Province, Vietnam.

Phù hợp với Quy chuẩn kỹ thuật quốc gia / Comply with the National Technical Regulation:
QCVN 16:2023/BXD
VÀ ĐƯỢC PHÉP SỬ DỤNG DẤU HỢP QUY (CR)
AND ALLOWED TO BEAR CR MARK

Phương thức chứng nhận / Certification scheme:
Phương thức 5 / Scheme 5
Thông tư số 28/2012/TT-BKHCN ngày 12/12/2012 và Thông tư số 02/2017/TT-BKHCN ngày 31/03/2017 của Bộ Khoa học và Công nghệ)
(Circular No. 28/2012/TT-BKHCN dated December 12th 2012 and Circular No. 02/2017/TT-BKHCN dated March 31st 2017 of Ministry of Science and Technology)

Giấy chứng nhận này có giá trị từ ngày 01/11/2025 đến ngày 19/4/2026
This Certificate remains valid from November 01st, 2025 to April 19th, 2026

KT.GIÁM ĐỐC / FOR DIRECTOR
PHÓ GIÁM ĐỐC / VICE DIRECTOR

QCVN 16:2023/BXD 07 - 11

Lê Đăng Huyền

Trung tâm Kỹ thuật Tiêu chuẩn đo lường Chất lượng 3 — 49 Pasteur, phường Sài Gòn, TP.Hồ Chí Minh Tel: (84-28) 3829 4274 Fax: (84-28) 3829 3012
Quality Assurance and Testing center 3 — No. 49 Pasteur St, Sai Gon Ward, Ho Chi Minh City Tel: (8428) 3829 4274 Fax: (84-28) 3829 3012
Trang/ Page 1/2

TỔNG CỤC TIÊU CHUẨN ĐO LƯỜNG CHẤT LƯỢNG
DIRECTORATE FOR STANDARDS, METROLOGY AND QUALITY
TRUNG TÂM KỸ THUẬT TIÊU CHUẨN ĐO LƯỜNG CHẤT LƯỢNG 3
QUALITY ASSURANCE AND TESTING CENTER 3

GIẤY CHỨNG NHẬN
CERTIFICATE
Số / No.: 02-22
(TCR01-CNL-2023)

Chứng nhận sản phẩm / This is to certify that:
GẠCH GỐM ỐP LÁT ÉP BÁN KHÔ /
DRY-PRESSED CERAMIC TILES

Nhãn hiệu / Brand: TAICERA

Loại / Types: Chi tiết theo danh mục đính kèm giấy chứng nhận /
Details in the attached list to this certificate

Được sản xuất tại / Produced by:
CÔNG TY CỔ PHẦN CÔNG NGHIỆP GỐM SỨ TAICERA /
TAICERA ENTERPRISE COMPANY

Địa chỉ / Address: KCN Gò Dầu, Xã Phước Thái, Huyện Long Thành, Tỉnh Đồng Nai /
Go Dau Industrial Zone, Phuoc Thai Commune, Long Thanh District, Dong Nai Province

Phù hợp với tiêu chuẩn / Conforms to the standard :
ISO 13006:2018 – Ceramic Tiles - Definitions, classification, characteristic and marking

Phương thức chứng nhận / Certification scheme :
Phương thức 5 / Scheme 5
(Thông tư số 28/2012/TT-BKHCN ngày 12/12/2012 và Thông tư số 02/2017/TT-BKHCN ngày 31/3/2017 của Bộ Khoa học và Công nghệ)
(Circular No 28/2012/TT-BKHCN dated December 12th, 2012 & Circular No 02/2017/TT-BKHCN, dated 31/03/2017 by Ministry of Science and Technology)

VÀ ĐƯỢC PHÉP SỬ DỤNG DẤU CHỨNG NHẬN PHÙ HỢP CỦA QUATEST 3
and approved to bear QUATEST 3 Product Certification mark
Giấy chứng nhận này và dấu chất lượng có giá trị từ 20/4/2023 đến 19/4/2026
Certificate and the product certification mark remain valid from April 20th, 2023 to April 19th, 2026

QUATEST3 ISO 13006:2018

GIÁM ĐỐC / DIRECTOR
Nguyễn Thái Hùng

Ngày cấp chứng nhận/ Date of issuance: 20/4/2023

Trung tâm Kỹ thuật Tiêu chuẩn đo lường Chất lượng 3 — 49 Pasteur, Quận 1, TpHồ Chí Minh Tel: (84-28) 3829 4274 Fax: (84-28) 3829 3012


bsi.
Giấy Chứng Nhận
HỆ THỐNG QUẢN LÝ CHẤT LƯỢNG - ISO 9001:2015

Chứng nhận rằng: CÔNG TY CỔ PHẦN CÔNG NGHIỆP GỐM SỨ TAICERA
Khu Công Nghiệp Gò Dầu,
Xã Phước Thái, Huyện Long Thành,
Tỉnh Đồng Nai,
Việt Nam

Giữ giấy chứng nhận số: FM 37630

và thực hiện Hệ thống Quản lý Chất lượng phù hợp với các yêu cầu của ISO 9001:2015 cho phạm vi:

Thiết kế, sản xuất và cung ứng gạch men và gạch thạch anh.

Giấy chứng nhận trước đây hết hạn vào ngày 19/05/2025
Đánh giá tái chứng nhận kết thúc vào ngày 11/04/2025

Đại diện cho Tập đoàn BSI: Ông Michael Lam, Phó Chủ tịch, APAC Assurance
Ngày đăng ký đầu tiên: 06/07/2000
Ngày sửa đổi sau cùng: 27/05/2025

Đại diện cho BSI Việt Nam: Ông Lê Duyên Anh, Tổng Giám đốc BSI Việt Nam
Ngày hiệu lực: 27/05/2025
Ngày hết hiệu lực: 19/05/2028

Trang: 1/1

...making excellence a habit.

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.
An electronic certificate can be authenticated online. Printed copies can be validated at www.bsigroup.com/Client Directory or telephone +84 (28) 38 200 066.
Further clarifications regarding the scope of this certificate and the applicability of ISO 9001:2015 requirements may be obtained by consulting the organization.
This certificate is valid only if provided original copies are in complete set.
Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 845 080 9000.
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
Contact Office: BSI Vietnam Headquarters - 17 Floor KPC Tower, 51BB Dien Bien Phu Street, Ward 21, Binh Thanh District, Ho Chi Minh City, Vietnam. Telephone: +84 (28) 38 200 066.
A member of the BSI Group of Companies.


bsi.
Giấy Chứng Nhận
HỆ THỐNG QUẢN LÝ MÔI TRƯỜNG – ISO 14001:2015

Chứng nhận rằng: CÔNG TY CỔ PHẦN CÔNG NGHIỆP GỐM SỨ TAICERA
Khu Công Nghiệp Gò Dầu,
Xã Phước Thái, Huyện Long Thành,
Tỉnh Đồng Nai,
Việt Nam

Giữ giấy chứng nhận số: EMS 573392

và thực hiện Hệ thống Quản lý Môi trường phù hợp với các yêu cầu của ISO 14001:2015 cho phạm vi:

Thiết kế, sản xuất và cung ứng gạch men và gạch thạch anh.

Giấy chứng nhận trước đây hết hạn vào ngày 25/05/2025
Đánh giá tái chứng nhận kết thúc vào ngày 11/04/2025

Đại diện cho Tập đoàn BSI: Ông Michael Lam, Phó Chủ tịch, APAC Assurance
Ngày đăng ký đầu tiên: 26/05/2016
Ngày sửa đổi sau cùng: 27/05/2025

Đại diện cho BSI Việt Nam: Ông Lê Duyên Anh, Tổng Giám đốc BSI Việt Nam
Ngày hiệu lực: 27/05/2025
Ngày hết hiệu lực: 25/05/2028

Trang: 1/1

...making excellence a habit.

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.
An electronic certificate can be authenticated online. Printed copies can be validated at www.bsigroup.com/Client Directory or telephone +84 (28) 38 200 066.
Further clarifications regarding the scope of this certificate and the applicability of ISO 14001:2015 requirements may be obtained by consulting the organization.
This certificate is valid only if provided original copies are in complete set.
Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 845 080 9000.
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
Contact Office: BSI Vietnam Headquarters - 17 Floor KPC Tower, 51BB Dien Bien Phu Street, Ward 21, Binh Thanh District, Ho Chi Minh City, Vietnam. Telephone: +84 (28) 38 200 066.
A member of the BSI Group of Companies.


nqa.
This is to certify that the Occupational Health & Safety Management System of

TAICERA ENTERPRISE COMPANY

Go Dau Industrial Park, Phuoc Thai Commune, Long Thanh District, Dong Nai Province, Vietnam.

applicable to

Design, manufacture and supply ceramic and porcelain tiles. Manufacture of faucets, valves, pipes and sanitary ware of metal and plastics in kitchens and bathrooms.

has been assessed and registered by NQA against the provisions of

ISO 45001 : 2018

This registration is subject to the company maintaining an occupational health & safety management system, to the above standard, which will be monitored by NQA.

Certificate of Registration

Managing Director

Certificate No: 120629
Issue Date: 24 February 2023
Valid Until: 24 February 2026
EAC-Code: 14/15/17

UKAS MANAGEMENT 0157MS
IAF


Certificate VN23/00000210

SGS

The management system of

TAICERA ENTERPRISE COMPANY

Go Dau Industrial Zone, Phuoc Thai Commune, Long Thanh District, Dong Nai Province, Vietnam

has been assessed and certified as meeting the requirements of

SA8000:2014

For the following activities
Design, manufacture and supply ceramic tiles and quartz tiles. Manufacture of faucets, valves, pipes and sanitary ware of metal and plastics in kitchens and bathrooms.

Social Accountability International and other stakeholders in the SA8000 process only recognize SA8000 certificates issued by qualified CBs granted accreditation by SAAS and do not recognize the validity of SA8000 certificates issued by unaccredited organizations or organizations accredited by any entity other than SAAS. Please refer to SAAS website https://saas-accreditation.org/certfor the validity of accredited certificates.

This certificate is valid from 31 May 2023 until 30 May 2026 and remains valid subject to satisfactory surveillance audits.

Issue 1. Certified since: 31 May 2023

Authorised by
Nilesh Jadhav

SGS India Private Ltd.
4G Hall 3Hardwareharya Marge, Vikhroli (West), Mumbai 400 083. India
t +91 22 5504 0888 - www.sgs.com

SGS

This document is an authentic electronic certificate for Client' business purposes use only. Printed version of the electronic certificate are permitted and will be considered as a copy. This document is issued by the Company subject to SGS General Conditions of certification services available on Terms and Conditions/ SGS. Attention is drawn to the limitation of liability, indemnification and jurisdictional clauses contained therein. This document is copyright-protected and any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful.

Page 1 / 1


Certificate of Compliance

Application for
Construction Products Regulation (CPR) 305/2011.
This is to certify that the product(s):

Dry Pressed Ceramic Tiles

Manufactured by

TAICERA ENTERPRISE COMPANY
Go Dau Industrial Park, Phuoc Thai Commune,
Long Thanh District, Dong Nai Province, Vietnam

has been assessed & found in accordance with the requirements of
Construction Products Regulation (CPR) 305/2011.
QCC is non-notified certification body, issue this 'compliance certificate' after audit of manufacturer product(s) & technical file(s). This certificate applies to the tested sample only not for whole production. It's manufacturer sole responsibility to meet all the necessary conformity assessment activities according to CPR 305/2011 and related standards before placing them on the market & CE mark on the product(s).

Certificate No. : CE/EE47/0824
Original Certificate Date : 13-August-2024
Issue Date : 13-August-2024
Expiry Date : 12-August-2027

To check this certificate status visit:
"http://uasl.uk.com/certifiedorganization"

Authorised Signature
For Quality Control Certification
UK Office: 82, Adley Street,
London - E5 0DZ, United Kingdom

Quality Control Certification accredited by UASL, UK.
This certificate does not imply approval by any Government body & has no legal obligations.
This certificate remains the property of QC Certification to whom it must be returned on request.

SYMBOL


Floor Tile
Wall Tile
Indoor
Outdoor

CE COMPLIANCE CERTIFICATE

VIETNAM QUATEST 3

ENVIRONMENTAL MANAGER SYSTEM - ISO 14001:2015
QUALITY MANAGER SYSTEM - ISO 9001:2015

PHILIPPINE STANDARD CERTIFICATE

MALAYSIA SIRIM

QUATEST3 ISO 13006:2018

nqa
Hoàng

TAICERA®

TAICERA ENTERPRISE COMPANY

GO DAU INDUSTRIAL ZONE, PHUOC THAI COMMUNE, DONG NAI PROVINCE, VIETNAM.

EMAIL: WWW@TAICERA.COM – EXPORT@TAICERA.COM

HA NOI BRANCH

308 TRUONG CHINH STREET, KIM LIEN WARD, HA NOI CITY.

TEL: (024) 6278 0510 – 6686 4953

EMAIL: HANOI@TAICERA.COM

NHA TRANG BRANCH

86 LE HONG PHONG, NAM NHA TRANG WARD, NHA TRANG CITY.

TEL: (0258) 3876945 – 3876946 – 3876948

EMAIL: NHATRANG@TAICERA.COM

HAI PHONG BRANCH

VINH NIEM INDUSTRIAL CLUSTER, VINH NIEM WARD, LE CHAN DISTRICT, HAI PHONG CITY.

TEL: (0225) 3950361

EMAIL: HAIPHONG@TAICERA.COM

HO CHI MINH BRANCH

247 LY THUONG KIET STREET, PHU THO WARD, HO CHI MINH CITY.

TEL: (028) 38661293 (5 LINES)

EMAIL: HOCHIMINH@TAICERA.COM

DA NANG BRANCH

191 DIEN BIEN PHU STREET, THANH KHE WARD, DA NANG CITY.

TEL: (0236) 3561442 – 3582232 – 3582262

EMAIL: DANANG@TAICERA.COM

CAN THO BRANCH

51/1A, 3/2 STREET, NINH KIEU WARD, CAN THO CITY

TEL: (0292) 3831091 – 3831092

EMAIL: CANTHO@TAICERA.COM

Huy Hoang